



Curriculum Vitae

Name : Hamid Hajigholam Saryazdi M.D - Anesthesiologist
Professor of Anesthesiology and Intensive Care Isfahan, Iran(I.U.M.S)

Address : Hamid Hajigholam Saryazdi M MD, Department of Anesthesiology and Intensive Care, Alzahra University Hospital, Isfahan, Iran

Phone - Email : haji@Med.mui.ac.ir , +98 9131176489

PERSONAL INFORMATION

Date of birth: 11/11/1960 , Marid

EDUCATION

Iran University of Medical

GRANTS AND FELLOWSHIPS

Iranian Society of Anesthesiologists

Iranian Society of Pain Management

RESEARCH EXPERIENCE

Monitoring in Anesthesia , Anesthesia for Orthopedic Surgeries ,Intensive care , Toxicology , Anesthesia for Emergency surgery and Trauma and Emergency Medicine in which I am highly interested in.

Pain Management

Intensive Care Unit

Regional Anesthesia

Local Anesthesia

Professional Society Memberships:

Iranian Society of Anesthesiologists

TEACHING EXPERIENCE

nurse anesthesia edacationcoordinator in IUMS case report for residents of anesthesiology journal clas forresidents of anesthesiology

RELEVANT WORK EXPERIENCE

A study on children with status Asthmaticus and their management in ICU.

Chronic and Acute pain Management

UNIVERSITY SERVICE

Monitoring in Anesthesia , Anesthesia for Orthopedic Surgeries ,Intensive care , Toxicology , Anesthesia for Emergency surgery and Trauma and Emergency Medicine in which I am highly interested in.

Professional Society Memberships:

Iranian Society of Anesthesiologists

PUBLICATIONS

Articles published in journals:

Scopus:

Distribution of bupivacaine in epidural space

Saryazdi, H.H.G., Khalili, G., Talakoub, R., Shahbazi, M., Abbasi, S.

Journal of Cellular and Molecular Anesthetics this link is disabled, 2018, 3(2), pp. 60–65

- Related documents

1

Citations

- Article

Comparison of the efficacy of bilateral infraorbital nerve block using local marcaine and pethidine with local marcaine and intravenous pethidine

Hajigholam-Saryazdi, H., Aghadavoudi, O., Shafa, A., Soltani-Hafshejani, A.

Journal of Isfahan Medical School[this link is disabled](#), 2017, 35(444), pp. 1107–1112

- Related documents

0

Citations

- Article

Comparison of the preemptive effect of intravenous paracetamol and ketorolac on prevention of postoperative pain in patients undergoing abdominal surgery

Saryazdi, H., Aghadavoudi, O., Fakhari, S.

Journal of Isfahan Medical School[this link is disabled](#), 2017, 35(442), pp. 978–985

- Related documents

0

Citations

- Article

Comparison between the effect of bupivacaine-pethidine and bupivacaine-ketamine as preemptive in bilateral infraorbital nerve block on postoperative pain relief in infants undergoing clef lip repair, a controlled study

Hajigholam-Saryazdi, H., Shafa, A., Nakhodaie, F.

Journal of Isfahan Medical School[this link is disabled](#), 2017, 35(433), pp. 648–654

- Related documents

0

Citations

- Article

A comparative study of the analgesic effects of Pethidine versus Ketorolac and acetaminophen after lower abdominal and genital surgeries in children

Saryazdi, H., Aghadavoudi, O., Shafa, A., Baghban-Nikoo, M., Rezaei, T.

Journal of Isfahan Medical School[this link is disabled](#), 2017, 34(412), pp. 1556–1562

- Related documents

2

Citations

- Article

Comparison of ventilation quality by anatomic or nasal mask after induction of general anesthesia in patients with body mass index of above 40 kg/m²

Hajigholam-Saryazdi, H., Aghadavoudi, O., Adib, S.

Journal of Isfahan Medical School[this link is disabled](#), 2017, 37(550), pp. 1233–1239

- Related documents

0

Citations

- Article

Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in multiple trauma patients

Abbasi, S., Saryazdi, H., Honarmand, A., Mohsenzadeh, S.A., Masoudi, S.
Journal of Isfahan Medical School[this link is disabled](#), 2016, 34(378), pp. 355–361

- Related documents

3

Citations

- Article

A comparative study of the analgesic effect of intravenous pethidine vs. Ketorolac after inguinal hernia surgery in children under general anesthesia

Saryazdi, H.H., Aghadavoudi, O., Shafa, A., Masoumi, A., Saberian, P.
Middle East Journal of Anesthesiology[this link is disabled](#), 2016, 23(5), pp. 527–533

- Related documents

6

Citations

- Article

Comparison the efficacy of pre-emptive oral celecoxib with acetaminophen in controlling post-operative pain and nausea after lower limb surgery under general anesthesia

Saryazdi, H., Moradi, D., Hamedani, A., Aghadavoudi, O.

Journal of Cellular and Molecular Anesthesia[this link is disabled](#), 2016, 1(2), pp. 62–68

- Related documents

2

Citations

- Article • *Open access*

Safety and Efficacy of Propranolol in Comparison With Combination of Fentanyl and Ketamine as Premedication in Cataract Surgery Under the Topical Anesthesia

Fazel, F., Saryazdi, H., Rezaei, L., Mahboubi, M.

Global journal of health science, 2015, 7(6), pp. 88–9

Google scolar:

[Effect of preemptive and preventive acetaminophen on postoperative pain score: a randomized, double-blind trial of patients undergoing lower extremity surgery](#)

G Khalili, M Janghorbani, H Saryazdi, A Emaminejad

96 2013

Journal of clinical anesthesia 25 (3), 188-192

[Effect of intravenous midazolam premedication on postoperative nausea and vomiting after cholecystectomy.](#)

SM Heidari, H Saryazdi, M Saghaei

68 2004

Acta Anaesthesiologica Taiwanica: Official Journal of the Taiwan Society of ...

Transvesical blockade of the obturator nerve to prevent adductor contraction in transurethral bladder surgery

MH Khorrami, A Javid, H Saryazdi, M Javid

57 2010

Journal of endourology 24 (10), 1651-1654

The comparison of intraincisional injection tramadol, pethidine and bupivacaine on postcesarean section pain relief under spinal anesthesia

M Jabalameli, M Safavi, A Honarmand, H Saryazdi, D Moradi, P Kashefi

54 2012

Advanced biomedical research 1

The comparison of spinal anesthesia with general anesthesia on the postoperative pain scores and analgesic requirements after elective lower abdominal surgery: A randomized ...

K Naghibi, H Saryazdi, P Kashefi, F Rohani

36 2013

Journal of Research in Medical Sciences: The Official Journal of Isfahan ...

The survey of nurse's knowledge and attitude toward cancer pain management: Application of Health Belief Model

H Shahnazi, H Saryazdi, G Sharifirad, A Hasanzadeh, A Charkazi, ...

28 2012

Journal of Education and Health Promotion 1

Comparative evaluation of adding different opiates (morphine, meperidine, buprenorphine, or fentanyl) to lidocaine in duration and quality of axillary brachial plexus block

H Saryazdi, A Yazdani, P Sajedi, O Aghadavoudi

27 2015

Advanced biomedical research 4

COMPARISON OF PRE-EMPTIVE EFFECT OF MELOXICAM AND CELECOXCIB ON POST-OPERATIVE ANALGESIA: A DOUBLE-BLIND, RANDOMIZED CLINICAL TRIAL.

O Aghadavoudi, HH Saryazdi, A Shafa, A Ramezani

16 2015

Middle East Journal of Anaesthesiology 23 (3), 289-294

Analgesic effects of intra-articular fentanyl, pethidine and dexamethasone after knee arthroscopic surgery

H Saryazdi, P Kashefi, M Heydari, A Kiani

15 2006

JOURNAL OF RESEARCH IN MEDICAL SCIENCES (JRMS) 11 (3), 156-159

A comparative study of the analgesic effect of intravenous pethidine vs. ketorolac after inguinal hernia surgery in children under general anesthesia

12 2016

HH Saryazdi, O Aghadavoudi, A Shafa, A Masoumi, P Saberian

Middle East J Anaesthesiol 23 (5), 527-33

Comparison of the effect of preoperative administration of Ringer's solution, normal saline and hypertonic saline 5% on postoperative nausea and vomiting: A randomized, double ...

SM Heidari, H Saryazdi, A Shafa, R Arefpour

12 2011

Pakistan Journal of Medical Sciences 27 (4)

The effect of subcutaneous dexamethasone added to bupivacaine on postcesarean pain: A randomized controlled trial

AM JABAL, H Saryazdi, OAB MASAHIPOUR

12 2010

IRANIAN JOURNAL OF MEDICAL SCIENCES (IJMS) 35 (1), 21-26

Bispectral index response to cricoid pressure during induction of general anesthesia

S Abbasi, R Talakoub, B Jahangirifard, M Masoodifar, H Saryazdi

7 2011

Journal of Research in Medical Sciences: The Official Journal of Isfahan ...

Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in ...

S Abbasi, H Saryazdi, A Honarmand, SA Mohsenzadeh, S Masoudi

5 2016

Journal of Isfahan Medical School 34 (378), 355-361

Evaluation of in vivo effects of Oxytocin on coagulation of parturient during cesarean delivery by thromboelastography

M Golparvar, M Esterabi, R Talakoub, HH Saryazdi

5 2014

Journal of Research in Pharmacy Practice 3 (1), 28

Comparing the effect of Metoclopramide and Ketamine as a preemptive analgesia on postoperative pain

SM Heidari Tabaee Zavareh, H Saryazdi, J Salehi

5 2011

Journal of Shahrekord University of Medical Sciences 13

Comparison the efficacy of pre-emptive oral celecoxib with acetaminophen in controlling post-operative pain and nausea after lower limb surgery under general anesthesia

H Saryazdi, O Aghadavoudi, D Moradi, A Hamedani

3 2016

Journal of Cellular and Molecular Anesthesia 1 (2), 62-68

Application of health belief models in nurses' education regarding pain management of cancerous patient

3 2013

H Shahnazi, G Sharifirad, S Mohebi, A Charkazi, K Mirkarimi, H Saryazdi

Magnt Research Report

A comparative study of the analgesic effects of pethidine versus ketorolac and acetaminophen after lower abdominal and genital surgeries in children

2 2017

H Saryazdi, O Aghadavoudi, A Shafa, M Baghban-Nikoo, T Rezaei

Journal of Isfahan Medical School 34 (412), 1556-1562

Safety and Efficacy of Propranolol in Comparison With Combination of Fentanyl and Ketamine as Premedication in Cataract Surgery Under the Topical Anesthesia

2 2015

F Fazel, H Saryazdi, L Rezaei, M Mahboubi

Global journal of health science 7 (6), 88

The Effect of Adding Metoclopramide to Subcutaneous Lidocaine on Postoperative Pain after Lower Abdominal Surgery with General Anesthesia.

2 2011

HH Saryazdi, S Shabanian, M Jabalameli, BK Ghahfarrokhi

Journal of Isfahan Medical School 28 (123)

Distribution of Bupivacaine in Epidural Space

1 2018

HHG Saryazdi, R Talakoub, M Shahbazi, S Abbasi

Journal of Cellular & Molecular Anesthesia 3 (2), 60-65

Comparison of the preemptive effect of intravenous paracetamol and ketorolac on prevention of postoperative pain in patients undergoing abdominal surgery

1 2017

H Saryazdi, O Aghadavoudi, S Fakhari

Journal of Isfahan Medical School 35 (442), 978-985

Autologous blood reservation is vital for pregnant patient with intermediate thalassemia

1 2015

AD Shahraki, S Khodaei

Advanced Biomedical Research 4

Assessment of Neck Characteristics for Laryngeal Mask Airway Size Selection in Patients Who Underwent an Elective Ocular Surgery; A Cross-Sectional Study

2022

O Aghadavoudi, H Shetabi, H Saryazdi, S Babayi

بررسی نقش بیش اگهی دهنده سطح سرمی سلنیوم بیماران دچار آسیب های جنگانه در بد و ورود به بخش مراقبت های ویژه بر نیاز به تهویه مکانیکی و مدت زمان آن و ارتباط با عوامل التهابی و مرگ ...

عباسی, سریزدی, هنرمند, محسن زاده, سید امیرحسین, مسعودی

2016

مجله دانشکده پزشکی اصفهان 34 (378), 355-361

Evaluation of Tranexamic Acid Effect on Blood Loss and Transfusion in Femoral Shaft Surgery.

P Kashefi, SM Heidari, H Saryazdi, M Javdan

2012

Journal of Isfahan Medical School 30 (192)

Effects of Intravenous Ketamine and Tramadol on the Amount of Antiemetics Used in General Anesthetic Patients.

SM Heidari, H Saryazdi, A Norouzi

2012

Journal of Isfahan Medical School 29 (171)

The Effects of Two Different Oral Doses of Doxepin on Postoperative Pain in Lower Limb Orthopedic Surgery Patients Compared to A Control Group.

H Saryazdi, S Abbasi, M Yousefi

2012

Journal of Isfahan Medical School 29 (170)

Evaluation of the Distribution of Topical Bupivacaine in Epidural anesthesia with MRI.

H Saryazdi, G Khalili, M Shahbazi, S Abbasi, G Mohajeri, A Hekmatnia

2011

Journal of Isfahan Medical School 29 (154)

Comparing the Effect of Subcutaneous and Intravenous Tramadol Injection on Postoperative Pain.

HH Saryazdi, SM Heidari, M Golparvar, M Rahbari

2011

Journal of Isfahan Medical School 28 (113)

EFFECT OF INTERPLEURAL MEPERIDINE WITH AND WITHOUT BUPI-VACAIN ON POSTOPERATIVE PAIN AFTER STERNOTOMY

O Aghadavoudi, P Sajedi, H Saryazdi

2010

ARYA Atherosclerosis 3 (3)

Evaluation of Tourniquet Effects on Coagulation during Knee Arthroscopy

M Golparvar, KA Nazem, SH Sar Izadi

2007

Journal of Isfahan Medical School 24 (83), 7-1

EFFECT OF INTERPLEURAL MEPERIDINE WITH AND WITHOUT BUPIVACAINE ON
POSTOPERATIVE PAIN AFTER STERNOTOMY

DO AGHA, P Sajedi, H Saryazdi

2007

ARYA ATHEROSCLEROSIS 3 (3), 147-150

Preoperative oral dextromethorphan versus clonidine to prevent tourniquet-induced
cardiovascular responses in orthopedic patients under general anesthesia

MR SAFAVI, A Honarmand, H SARYAZDI

2007

JOURNAL OF RAFSANJAN UNIVERSITY OF MEDICAL SCIENCES AND HEALTH SERVICES 6 ...

ACCURACY OF PULSE OXIMETRY IN CYANOTIC CONGENITAL HEART DISEASE

H SARYAZDI

2003

JOURNAL OF ISFAHAN MEDICAL SCHOOL (IUMS) 20 (67), 9-12

DEXAMETHASON ADMINISTRATION IN INTRAVENOUS REGIONAL ANESTHESIA: ITS AFFECT ON
POST OPERATIVE PAIN A RANDOMIZED DOUBLE BLINDED CLINICAL TRIAL

H SARYAZDI, M NASIRI

2002

JOURNAL OF RESEARCH IN MEDICAL SCIENCES (JRMS) 7 (1), 45-47

MRI بررسی میزان گسترش ماده‌ی بی‌حسی دهنده موضعی بوبیو اکایین در فضای ایدورال با استفاده از روش

H Saryazdi, G Khalili, M Shahbazi, S Abbasi, G Mohajeri, A Hekmatnia, ...

مجله دانشکده پزشکی اصفهان 29 (154)

مقایسه اثرات تزریق زیرجلدی و وریدی ترامadol قبل از برش جراحی در بیشگیری درد بعد از اعمال جراحی شکم

حمدی حاجی غلام سریزدی, سیدمرتضی حیدری, محمد گلپور, محبوبه رهبری

مجله دانشکده پزشکی اصفهان 28 (113)

بررسی تأثیر مصرف خوراکی دو دوز داروی دوکسینین قبل از عمل بر شدت درد بعد از جراحی ارتودوئی اندام تحتانی و
مقایسه‌ی آن با گروه شاهد

, حمید سریزدی, سعید عباسی, مهیار یوسفی

مجله دانشکده پزشکی اصفهان 29 (170)

بررسی تأثیر بیش درمانی با داروی تراناگرامیک اسید بر روی میزان خونریزی و نیاز به تزریق خون حین عمل جراحی
تنهی ران

P Kashefi, SM Heidari, H Saryazdi, M Javdan, ... پرویز کاشفی

مجله دانشکده پزشکی اصفهان 30 (192)

Relationship between Preeclampsia and Early Pregnancy Blood Lead Levels Application of Health Belief Model in nurses education regarding pain management of cancerous patient

H Shahnazi, G Sharifirad, S Mohebi, A Charkazi, K Mirkarimi, H Saryazdi

بررسی تأثیر افزودن متوكلورامید به لیدوکائین زیر جلدی بر میزان درد پس از عمل جراحی قسمت تحتانی شکم با بیهوشی عمومی

HH Saryazdi, S Shabanian, M Jabalameli, BK Ghahfarrokhi, ...

مجله دانشکده پزشکی اصفهان 28 (123)

تأثیر استفاده از کتابخانه و تر امادول و ریدی هین عمل جراحی بر تهوع و استفراغ بعد از عمل و میزان داروی ضد استفراغ مصرفی در بیماران تحت بیهوشی عمومی

SM Heidari, H Saryazdi, A Norouzi..., سید مرتضی حیدری, حمید سریزدی, ...

مجله دانشکده پزشکی اصفهان 29 (171)

Articles 1–44

Researcher ID:

Paradoxical reaction following intravenous midazolam premedication in pediatric patients - a randomized placebo controlled trial of ketamine for rapid tranquilization

Web of Science

Authors: Mohammad Golparvar; Mahmood Saghaei; Parvin Sajedi; Seid Sajad Razavi

Effect of preemptive and preventive acetaminophen on postoperative pain score: a randomized, double-blind trial of patients undergoing lower extremity surgery

Web of Science

Effects of adjunct intrathecal magnesium sulfate to bupivacaine for spinal anesthesia: a randomized, double-blind trial in patients undergoing lower extremity surgery

Web of Science

Authors: Khalili, Gholamreza; Janghorbani, Mohsen; Sajedi, Parvin; Ahmadi, Gholamhossein

Transvesical Blockade of the Obturator Nerve to Prevent Adductor Contraction in Transurethral Bladder Surgery

Web of Science

Anaesthetic management of tracheobronchial rupture following blunt chest trauma

Web of Science

Orcid:

A comparative study of the analgesic effects of Pethidine versus Ketorolac and acetaminophen after lower abdominal and genital surgeries in children
Journal of Isfahan Medical School

2017 | Journal article

Contributors: Saryazdi, H.; Aghadavoudi, O.; Shafa, A.; Baghban-Nikoo, M.; Rezaei, T.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison between the effect of bupivacaine-pethidine and bupivacaine-ketamine as preemptive in bilateral infraorbital nerve block on postoperative pain relief in infants undergoing cleft lip repair, a controlled study

Journal of Isfahan Medical School

2017 | Journal article

Contributors: Hajigholam-Saryazdi, H.; Shafa, A.; Nakhodaie, F.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison of the efficacy of bilateral infraorbital nerve block using local marcaine and pethidine with local marcaine and intravenous pethidine

Journal of Isfahan Medical School

2017 | Journal article

Contributors: Hajigholam-Saryazdi, H.; Aghadavoudi, O.; Shafa, A.; Soltani-Hafshejani, A.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison of the preemptive effect of intravenous paracetamol and ketorolac on prevention of postoperative pain in patients undergoing abdominal surgery

Journal of Isfahan Medical School

2017 | Journal article

Contributors: Saryazdi, H.; Aghadavoudi, O.; Fakhari, S.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison of the relationship between preoperative hemoglobin level and acute renal failure in patients undergoing noncardiac surgery

Journal of Isfahan Medical School

2017 | Journal article

Contributors: Sajedi, P.; Mahdian, L.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Investigating the prevalence of oxygen desaturation in post-anesthesia care unit and preoperative predicting factors

Journal of Isfahan Medical School

Contributors: Sajedi, P.; Sharifi-Dorcheh, F.; Hessam, F.

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Is using antihypertensive drugs before arteriovenous fistula surgery effective on fistula thrombosis in patients with hypertension?

Journal of Isfahan Medical School

2017 | Journal article

Contributors: Sajedi, P.; Saroukhani, A.; Akhtari-Boroujeni, M.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

The effect of morphine on the sedation of addicted patients during endoscopic retrograde cholangiopancreatography (ERCP)

Journal of Isfahan Medical School

2017 | Journal article

Contributors: Sajedi, P.; Manzari-Tavakoli, H.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

A comparative study of the analgesic effect of intravenous pethidine vs. Ketorolac after inguinal hernia surgery in children under general anesthesia

Middle East Journal of Anesthesiology

2016 | Journal article

Contributors: Saryazdi, H.H.; Aghadavoudi, O.; Shafa, A.; Masoumi, A.; Saberian, P.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in multiple trauma patients

Journal of Isfahan Medical School

2016 | Journal article

Contributors: Abbasi, S.; Saryazdi, H.; Honarmand, A.; Mohsenzadeh, S.A.; Masoudi, S.

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Evaluation the effect of breathing filters on end-tidal carbon dioxide during inferior abdominal surgery in infants and changes of tidal volume and respiratory rate needs for preventing of increasing end-tidal carbon dioxide

Journal of Research in Medical Sciences

Contributors: Sajedi, P.; Abooei, M.; Shafa, A.; Karbalaei, M.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison of pre-emptive effect of meloxicam and celecoxib on post-operative analgesia: A double-blind, randomized clinical trial

Middle East Journal of Anesthesiology

Contributors: Aghadavoudi, O.; Saryazdi, H.H.; Shafa, A.; Ramezani, A.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Cotimparave evaluation of oral alprazolam, as premedication, on controlling blood pressure in hypertensive patients during surgery

Journal of Isfahan Medical School

Contributors: Sajedi, P.; Rezaie, M.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

A randomized controlled trial for the effectiveness of intraarticular versus intravenous midazolam on pain after knee arthroscopy

Journal of Research in Medical Sciences

Contributors: Sajedi, P.; Nemati, M.; Mosavi, S.H.; Honarmand, A.; Safavi, M.R.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparative evaluation of changes of cardiac output and stroke volume due to the increase of tidal volume in mechanical ventilation of pulmonary during controlled hypotension by nitroglycerine and Na nitroprusside

Journal of Babol University of Medical Sciences

Contributors: Golparvar, M.; Talakoob, R.; Naghibi, K.; Hajigholam Saryazdi, H.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparative evaluation of the effects of hydroxyethyl starch on coagulation state of patients during brain tumor surgeries in comparison to crystalloids by thromboelastography

Journal of Research in Medical Sciences

Contributors: Golparvar, M.; Saghaei, M.; Hamidi, H.; Sajedi, P.; Kashefi, P.; Aghadavoudi, O.; Abbasi, S.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Prophylactic use of oral acetaminophen or IV dexamethasone and combination of them on prevention emergence agitation in pediatric after adenotonsillectomy

International Journal of Preventive Medicine

Contributors: Sajedi, P.; Baghery, K.; Hagibabie, E.; Maghami Mehr, A.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparing the efficacy of metoclopramide and chlorpromazine with meperidine in treatment of headache after ocular surgery

Journal of Isfahan Medical School

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparing the preventive effect of 2 percent topical lidocaine and intravenous atropine on oculocardiac reflex in ophthalmological surgeries under general anesthesia

International Journal of Preventive Medicine

Contributors: Sajedi, P.; Soleymani Nejad, M.; Montazeri, K.; Baloochestani, E.

[Show more detail](#)

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Effect of preemptive and preventive acetaminophen on postoperative pain score: A randomized, double-blind trial of patients undergoing lower extremity surgery

Journal of Clinical Anesthesia

Contributors: Khalili, G.; Janghorbani, M.; Saryazdi, H.; Emaminejad, A.

[Show more detail](#)

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

The comparison of spinal anesthesia with general anesthesia on the postoperative pain scores and analgesic requirements after elective lower abdominal surgery: A randomized, double-blinded study

Journal of Research in Medical Sciences

Contributors: Naghibi, K.; Saryazdi, H.; Kashefi, P.; Rohani, F.

[Show more detail](#)

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

The effect of lidocaine on reducing the tracheal mucosal damage following tracheal intubation

Journal of Research in Medical Sciences

Contributors: Abbasi, A.; Mahjوبیپور, H.; Kashefi, P.; Massumi, G.; Aghadavoudi, O.; Farajzadegan, Z.; Sajedi, P.

[Show more detail](#)

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

The effect of preoperative injection of midazolam in the prevention of postoperative nausea and vomiting in patients undergoing ophthalmic surgery under general anesthesia

Journal of Isfahan Medical School

Contributors: Sajedi, P.; Kardan, A.

[Show more detail](#)

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

A randomized evaluation of intravenous dexamethasone versus oral acetaminophen codeine in pediatric adenotonsillectomy: Emergence agitation and analgesia

Middle East Journal of Anesthesiology

Contributors: Khalili, G.; Sajedi, P.; Shafa, A.; Hosseini, B.; Seyyedyousefi, H.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Effects of intravenous ketamine and tramadol on the amount of antiemetics used in general anesthetic patients

Contributors: Heidari, S.M.; Saryazdi, H.; Norouzi, A.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Midazolam versus ketamine in the management of emergence agitation in children undergoing lower abdominal and limb surgeries

Tehran University Medical Journal

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Bispectral index response to cricoid pressure during induction of general anesthesia

Contributors: Abbasi, S.; Talakoub, R.; Jahangirifard, B.; Masoodifar, M.; Saryazdi, H.

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison of pre- vs. post-incisional caudal bupivacaine for postoperative analgesia in unilateral pediatric herniorrhaphy: A double-blind randomized clinical trial

Saudi Journal of Anaesthesia

Contributors: Sajedi, P.; Yaraghi, A.; Dehdari Zadeh, M.T.D.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Comparison of the effect of preoperative administration of ringer's solution, normal saline and hypertonic saline 5% on postoperative nausea and vomiting: A randomized, double blinded clinical study

Pakistan Journal of Medical Sciences

Contributors: Heidari, S.M.; Saryazdi, H.; Shafa, A.; Arefpour, R.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Effects of adjunct intrathecal magnesium sulfate to bupivacaine for spinal anesthesia: A randomized, double-blind trial in patients undergoing lower extremity surgery

Journal of Anesthesia

2011 | Journal article

Contributors: Khalili, G.; Janghorbani, M.; Sajedi, P.; Ahmadi, G.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

The effect of subcutaneous dexamethasone added to bupivacaine on postcesarean pain: A randomized controlled trial

Iranian Journal of Medical Sciences

Contributors: Jabalameli, M.; Saryazdi, H.; Massahipour, O.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Transvesical blockade of the obturator nerve to prevent adductor contraction in transurethral bladder surgery

Journal of Endourology

Contributors: Khorrami, M.H.; Javid, A.; Saryazdi, H.; Javid, M.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Efficacy of granisetron in preventing postanesthetic shivering

Acta Anaesthesiologica Taiwanica

Contributors: Sajedi, P.; Yaraghi, A.; Ali Moseli, H.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Minimum effective dose of Tramadol in the treatment of postanesthetic shivering

Journal of Research in Medical Sciences

Contributors: Sajedi, P.; Khalili, G.; Kyhanifard, L.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Effect of pre vs. post incision inguinal field block on postoperative pain after pediatric herniorrhaphy, a different approach

Journal of Research in Medical Sciences

Contributors: Sajedi, P.; Nazem, M.; Kaznavi, K.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

A single dose of propofol can produce excellent sedation and comparable amnesia with midazolam in cystoscopic examination

Journal of Research in Medical Sciences

Contributors: Sajedi, P.; Yaraghi, A.; Niareisy, L.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Analgesic effects of intra-articular fentanyl, pethidine and dexamethasone after knee arthroscopic surgery

Journal of Research in Medical Sciences

Contributors: Saryazdi, H.; Kashefi, P.; Heydari, M.; Kiani, A.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Effect of intravenous midazolam premedication on postoperative nausea and vomiting after cholecystectomy

Acta Anaesthesiologica Taiwanica

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Paradoxical reaction following intravenous midazolam premedication in pediatric patients - A randomized placebo controlled trial of ketamine for rapid tranquilization

Paediatric Anaesthesia

Contributors: Golparvar, M.; Saghaei, M.; Sajedi, P.; Razavi, S.S.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Supplementing epidural lidocaine with midazolam: Effect on sensorymotor block level

Acta Anaesthesiologica Taiwanica

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

A randomized, prospective comparison of end-tidal CO₂ pressure during laparoscopic cholecystectomy in low and high flow anaesthetic system

Acta Anaesthesiologica Sinica

Contributors: Sajedi, P.; Naghibi, K.; Soltani, H.; Amoshahi, A.

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Anaesthetic management of tracheobronchial rupture following blunt chest trauma

Acta Anaesthesiologica Scandinavica

Contributors: Naghibi, K.; Hashemi, S.L.; Sajedi, P.

Show more detail

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

The macroscopic changes of tracheal mucosa following tight versus loose control of tracheal tube cuff pressure

Acta Anaesthesiologica Sinica

Source: Hamid Hajigholam Saryazdi *via* Scopus - Elsevier

Effect of preemptive and preventive acetaminophen on postoperative pain score: a randomized, double-blind trial of patients undergoing lower extremity surgery.

Analgesic effects of intra-articular fentanyl, pethidine and dexamethasone after knee arthroscopic surgery

COMPARISON OF PRE-EMPTIVE EFFECT OF MELOXICAM AND CELECOXCIB ON POST-OPERATIVE ANALGESIA: A DOUBLE-BLIND, RANDOMIZED CLINICAL TRIAL.

The analgesic effect of celecoxib seems to cover longer duration than Meloxicam; but, meloxicam appears to be a stronger analgesic in shorter time interval.

The Effect of Subcutaneous Dexamethasone Added to Bupivacaine on Postcesarean Pain: A Randomized Controlled Trial

The goal of this study was to assess the effect of subcutaneous dexamethasone added to bupivacaine on post cesarean pain.

Effect of intravenous midazolam premedication on postoperative nausea and vomiting after cholecystectomy.

The results of this study suggest the effectiveness of prophylactic intravenous midazolam premedication to reduce the incidence and severity of postoperative nausea and vomiting.

Transvesical blockade of the obturator nerve to prevent adductor contraction in transurethral bladder surgery.

Local blockade of the obturator nerve during cystoscopy is an effective method to avoid its stimulation in TURBT.

The comparison of intraincisional injection tramadol, pethidine and bupivacaine on postcesarean section pain relief under spinal anesthesia

The administration of subcutaneous pethidine or tramadol after cesarean section improves analgesia and has a significant morphine-sparing effect compared with bupivacaine and control groups.

Comparative evaluation of adding different opiates (morphine, meperidine, buprenorphine, or fentanyl) to lidocaine in duration and quality of axillary brachial plexus block

In the upper extremity surgeries performed under axillary brachial plexus block addition of morphine or pethidine to lidocaine may be superior to other opioids (i.e. fentanyl and buprenorphine) due to better quality and quantity of motor blockade and faster onset of the block.

The comparison of spinal anesthesia with general anesthesia on the postoperative pain scores and analgesic requirements after elective lower abdominal surgery: A randomized, double-blinded study

Although in patients undergoing elective lower abdominal surgery with SA may have lower pain scores and also lower morphine requirement in the first 6 h postoperatively, but after that there were no significant differences between SA and GA regarding postoperative Pain scores and analgesic requirements and so more attention should be given to their postoperation pain relief.

The survey of nurse's knowledge and attitude toward cancer pain management: Application of Health Belief Model

The findings support the concern of inadequate knowledge and attitudes in relation to cancer pain management and believe that basic and continuing education programs may improve the knowledge level of nursing about pain management.

Evaluation of in vivo effects of Oxytocin on coagulation of parturient during cesarean delivery by thromboelastography

This in vivo investigation clarified that increasing infusion rate of oxytocin to 30 IU/h can augment coagulability in term parturients.

A COMPARATIVE STUDY OF THE ANALGESIC EFFECT OF INTRAVENOUS PETHIDINE VS. KETOROLAC AFTER INGUINAL HERNIA SURGERY IN CHILDREN UNDER GENERAL ANESTHESIA.

The effects of these two drugs were studied and compared in terms of pain control after inguinal hernia surgery in children of 1-12 years of age and the variation in postoperative pain intensity in the ketorolac group was statistically lower than the pethidin group.

Bispectral index response to cricoid pressure during induction of general anesthesia

It was concluded that the application of CP in combination with laryngoscopy and intubation increases the BIS values, which show the inadequacy of anesthesia and hypnosis during the routine induction of anesthesia.

Safety and Efficacy of Propranolol in Comparison With Combination of Fentanyl and Ketamine as Premedication in Cataract Surgery Under the Topical Anesthesia

It is demonstrated that propranolol can be used safely as a premedication in cataract surgery in the comparable efficacy to ketamine plus fentanyl premedication.

Distribution of Bupivacaine in epidural space in female patients is more than male ones and the tendency of spread is more toward the cephalad direction than caudal.

Assessment of Neck Characteristics for Laryngeal Mask Airway Size Selection in Patients Who Underwent an Elective Ocular Surgery; A Cross-Sectional Study

It is demonstrated that neck circumference might be considered as an appropriate indicator for the selection of LMA size but neither the thyromental distance nor mouth opening is shown to be significant.

EFFECTS OF FLUOXETINE WITH AND WITHOUT OMEGA-3 FATTY ACID EICOSAPENTAENOIC ACID ON CARDIOVASCULAR DISEASE RISK IN DEPRESSIVE PATIENTS

In spite of analgesic effects of subarachnoid meperidine, intraarticular morphine and interpleural bupivacaine, Interpleural Meperidine does not change pain scores or narcotic requirements postoperatively.

COMPARING THE EFFECT OF METOCLOPRAMIDE AND KETAMINE AS A PREEMPTIVE ANALGESIA ON POSTOPERATIVE PAIN

The preemptiveAnalgesia project, which aims to provide real-time information about infectious disease in the context of healthcare, is in its second year of operation.

Comparison the efficacy of pre-emptive oral celecoxib with acetaminophen in controlling post-operative pain and nausea after lower limb surgery under general anesthesia

Celecoxib may be a better choice in reducing pain and nausea after surgery compared with acetaminophen, and may be used as a pre-emptive medication to reduce pain after lower extremity surgery.

Comparative Evaluation of Changes of Cardiac Output and Stroke Volume due to the Increase of Tidal Volume in Mechanical Ventilation of Pulmonary during Controlled Hypotension by Nitroglycerine and Na...

Evaluation of Tourniquet Effects on Coagulation during Knee Arthroscopy

Tourniquet application initially can increase coagulability and the probability of thrombus formation after TD, but after a short time, compensatory clot lysis occurs by increasing fibrinolytic activities.

DEXAMETHASON ADMINISTRATION IN INTRAVENOUS REGIONAL ANESTHESIA: ITS AFFECT ON POST OPERATIVE PAIN A RANDOMIZED DOUBLE BLINDED CLINICAL TRIAL

Addition of dexamethason to local anesthetic in IVRA resulted in better tolleration of turniquate pain and reduced VAS score, which seems to prevent sever postoperative pain in patients

PRESENTATIONS AND POSTER SESSIONS

1. Naghibi KH. Anesthesia for ECT, a Comparison of STP VS midazolam. 5th Iranian Congress of anesthesiology and critical care , Iran, Tehran 30 April - 4 May 1998.
2. Naghibi KH. Dr Atari .Intranasal sufentanil and midazolam for premedication in children . 4th Iranian congress on Stress Iran, Tehran, 14-17 June 1999.
3. Naghibi KH, Dr Atari. Intranasal sufentanil and midazolam for premedication in children. 4th Iranian Congress on stress ,Iran Tehran, 14-17 June 1999.
4. Naghibi KH. Effect of dexamethasone plus metoclopramide on postoperative vomiting after strabismus surgery in children.The international congress of common medical and surgical pediatric problems 21st Commemoration congress in memory of professor Gharib, the founder of modern pediatrics in Iran.
Isfahan, Iran, May 9-14 1999.
5. Naghibi KH.Dr Montazari ,Dr Bordbar .Evaluation of hyperkalemia due to succinylcholine in chronic renal failure. Iranian 4th congress of organ Transplantation November 24-26 Isfahan, Iran, 1999.
6. Dr Montazari , Naghibi KH. ,Dr Bordbar . Prevention of metabolic acidosis during renal transplantation. Iranian 4th congress of organ transplantation. November 24-26 Isfahan , Iran. 1999.
- 7.Dr Montazari , Naghibi KH. Renal Preservation after kidney transplantation using furosemide or hypertonic saline. Iranian 4 th congress of organ transplantation November 24-26 , Isfahan, Iran 1999.
8. Naghibi KH. Psychological preoperative preparation in children. 6th annual meeting on mental health care Isfahan University, Isfahan - Iran Mar 6. 2000.
9. Naghibi KH. Fentanyl and midazolam in the management of general anesthesia for resection of pheochromocytoma.
Endocrine Tumors congress Tehran , Iran, Mar 6-9 2000.
10. Naghibi KH. ,Dr Yaraghi ,Dr Adibi . Hemoglobin and Hematocrit changes during anesthesia. 6th Iranian congress of anesthesia and critical care Iran, May 3-5 2000.
11. Naghibi KH. , Effect of dexamethasone plus metoclopramide on postoperative vomiting after strabismus surgery in children. 6th Iranian congress of anesthesia and critical care Isfahan. Iran, May 3-5 2000.

12.Dr Mortazavi , Naghibi KH. .Incidence of vitreous loss in cataract surgery (General anesthesia VS local anesthesia) 6th Iranian congress of anesthesia and critical care Iran, May 3-5 2000.

13.Drs Akhtari , Naghibi KH. .Attenuation of the pressor response to tracheal intubation by magnesium sulphate. 6th Iranian congress of anesthesia and critical care Iran, May 3-5 2000.

14.Drs Talakoub , Naghibi KH. . Drs Hejazian . Studing the effects of adding ketamine to Bupivacaine in Extradural anesthesia. 6th Iranian congress of anesthesia and critical care Iran, May 3-5 2000.

15.Dr Salehi ,Drs Zahernia , Naghibi KH. Magnesium sulphate reduces postoperative analgesic requirements. Iranian 6th congress of anesthesia and critical care Iran, May 3-5 2000.

16. Naghibi KH. , Mohazabnia P. A comparison prophylactic analgesic effects of Acetaminophen , Indomethacine and Ergotamine –C on postoperative headache.The First African Congress on Pain . 8 – 10 Nov. 2000, Alexandria, Egypt.

17-Maerofti V, Naghibi KH,Khadem P. Vaso Vagal syncope in Dental chair. The first congress of Iranian Academy of restorative Dentistry 16- 18 January 2002 kish, Iran.

PATENTS

Date, Item, number

RESEARCH INTERESTS

Pain Management

Regional Anesthesia

TEACHING INTERESTS

Pain and regional Anesthesia

Total fat ravenous anesthesia

PROFESSIONAL MEMBERSHIPS

EXTRA CURRICULAR ACTIVITIES

Supervision of thesis:

- Comparison the analgesic effect of ketamine-metoclopramide and acetaminophen- -1
metoclopramide on pain after vitrectomy surgery ٥/٧/١٣٩٩
- 2 بررسی ارتباط اندکس های گازهای خون شربانی با اندکس های گازهای ترشحات بزاق در بیماران ترومایی تحت حمایت تنفسی بستری در مرکز آموزشی درمانی الزهرا (س) اصفهان
- A Comparative study of the effect of low dose ephedrine and ketamine on fast tracheal -3 intubation by priming method of Cisatracurium dosage in patients under general ٢٠٢٠ to ٢٠١٩ anesthesia in emergency room of Isfahan Alzahra hospital from
- Evaluating the efficacy of using neck demographic factors ,comparing with patient body -4 weight in determining cLMA size
- 5 بررسی تاثیر تجویز متوكلوپرامید، پاراستامول و ترکیب متوكلوپرامید و پاراستامول بر شدت درد بعد از عمل جراحی کوله سیستکتومی لاپاراسکوپیک و مقایسه آن با گروه شاهد
- 6 بررسی اثرات تزریق وریدی و انفیلتراسیون زیر جلدی متوكلوپرامید بر درد و تهوع پس از عمل جراحی قسمت تحتانی شکم و مقایسه آن با گروه شاهد
- 7 بررسی مقایسه ای تاثیر پرمدیکاکسیون با نبولایزر لیدوکائین و نبولایزر کتابمین بر تغییرات همودینامیک و عوارض تنفسی در کودکان تحت برونکوسکوپی فیبر اپتیک و مقایسه آن با گروه شاهد در بیمارستان امام حسین (ع) اصفهان در سال ٩٥-٩٦
- 8 بررسی مقایسه ای کیفیت تهویه ی بعداز القای بیهوشی با استفاده از دو روش تهویه با ماسک آناتومیک صورت یا تهویه با ماسک آناتومیک بینی در افراد با شاخص توده بدنی بالای ٤٠
- 9 تعیین تاثیر پیشگیرانه تجویز دکسمدتومدین یا کتابمین در کنترل درد پس از عمل جراحی لاپاراسکوپی با پس معده و مقایسه آن با گروه شاهد در بیمارستان الزهرا اصفهان طی سالهای ١٣٩٥-١٣٩٦
- 10 بررسی اتیولوژی و فراوانی پنومونی مرتبط با ونتیلاتور دیررس و زودرس در بیماران با آسیب تروماتیک مغز و جراحی های مغزی بستری در بخش مراقبت های ویژه الزهرا -اصفهان ١٣٩٥-١٣٩٦
- 11 بررسی مقایسه ای درد پس از عمل جراحی شکاف لب با بیهوشی عمومی به دنبال بلوك دوطرفه عصب اینکراؤرپیتال در دو گروه تزریق مارکائین و پتدین موضعی و گروه تزریق مارکائین موضعی و پتدین وریدی
- 12 بررسی تاثیر پره امتیو بلوك دوطرفه عصب اینکراؤرپیتال با استفاده از اینفیلتراسیون مارکائین و پتدین یا مارکائین و کتابمین بر تسکین درد بعد از عمل جراحی شکاف لب شیرخواران تحت بیهوشی عمومی و مقایسه آن با گروه شاهد در بیمارستان امام حسین اصفهان در سال ١٣٩٤

- 13- بررسی مقایسه ای تجویز پیشداروی کتورولاک و استامینوفن و پتیدین بر روی درد بعد از عمل در جراحی تحتانی شکم و دستگاه تناسلی کودکان
- 14- بررسی تاثیر تجویز وریدی دگزامتاژون و لیدوکائین بعد از القای بیهوشی عمومی در پیشگیری از بروز اختلالات شناختی بعد از عمل جراحی کاتاراکت در سالمندان و مقایسه ان با گروه شاهد در سال ۹۴ در بیمارستان فیض
- 15- بررسی نقش پروگنوستیک (پیش آگهی دهنده) سطح سرمی سلینیوم بیماران مولتیپل ترومما در بدو ورود به بخش مراقبت های ویژه بر نیاز به تهويه مکانیکی و مدت زمان آن
- 16- تاثیر پیشگیرانه تزریق داخل مفصلی کتورولاک یا پتیدین بر تسکین درد بعد از عمل آرتروسکوپی زانو تحت بیهوشی عمومی و مقایسه آن با گروه شاهد
- 17- مقایسه اثر *preemptive* شیاف استامینوفن با بلوک کودال در کنترل درد بعد از عمل کودکان در اعمال جراحی تحتانی شکم
- 18- بررسی مقایسه ای اثربخشی و عوارض تجویز دکسمدتومیدین و میدازولام وریدی به عنوان *premedication* در اعمال جراحی تحتانی شکم در اطفال
- 19- بررسی مقایسه ای تاثیر تجویز پره امپتیو دو داروی خوراکی سلکوکسیب و استامینوفن در کاهش درد بعد از عمل جراحی اندام تحتانی تحت بیهوشی عمومی
- 20- بررسی مقایسه ای تاثیر تجویز دو پیشداروی وریدی کتورولاک و پاراستامول بر بی دردی پس از عمل جراحی شکم
- 21- بررسی مقایسه ای تاثیر بی دردی کتورولاک با پتیدین وریدی در پایان جراحی فتق اینگوئینال اطفال تحت بیهوشی عمومی
- 22- بررسی مقایسه ای تاثیر تجویز پره امپتیو داروی خوراکی سلکوکسیب و ملوکسیکام در کاهش درد بعد از عمل جراحی اندام تحتانی تحت بیهوشی عمومی
- 23- بررسی تاثیر پره امپتیو تجویز خوراکی سلکوکسیب و میدازولام وریدی در کاهش درد بعد از عمل جراحی تحتانی شکم و مقایسه آن دو با گروه شاهد
- 24- میزان گسترش ماده‌ی بی حسی دهنده موضعی بوپیواکائین در فضای اپیدورال با استفاده از روش MRI
- 25- بررسی تاثیر مصرف خوراکی دو دوز داروی دوکسپین قبل از عمل بر شدت درد بعد از جراحی ارتوپدی اندام تحتانی و مقایسه ای آن با گروه کنترل
- 26- بررسی تاثیر افزودن متوكلوپرامید به لیدوکائین زیر جلدی بر میزان درد پس از عمل جراحی قسمت تحتانی شکم با بیهوشی عمومی
- 27- بررسی فراوانی پرش اندام تحتانی در حین انجام TUR-BT تحت بی حسی نخاعی با بلوک ترانس وزیکال عصب اوبرتوراتور و مقایسه آن با عدم بلوک ترانس وزیکال عصب اوبرتوراتور
- 28- بررسی مقایسه ای تاثیر پیشگیری کننده پروپوفول و دگزامتاژون بر میزان تهوع
- 29- بررسی مقایسه ای انفیلتراسیون پری تونسیلار کتمانی و مارکائین بر درد پس از عمل تونسیلکتومی
- 30- بررسی مقایسه ای تاثیر پتیدین عضلانی با شیاف دیکلوفناک و ایندومتسین بر میزان درد پس از عمل جراحی سزارین
- 31- بررسی تاثیر افزودن دگزامتاژون به مارکائین زیرجلدی در درد پس از عمل جراحی سزارین
- 32- بررسی مقایسه ای انسیدانس سردرد پس از سوراخ شدن دورا و عوارض نورولوژیک در سه روش بیحسی نخاعی مداوم
- 33- بررسی تاثیر تجویز تراناگزامیک اسید در جلوگیری از خونریزی متعاقب جراحی فمور

34- بررسی مقایسه ای تاثیر تزریق وریدی پتیدین و دگزامتاژون در پیشگیری از لرز بعد از عمل جراحی تحت بیهوشی عمومی

35- بررسی مقایسه ای اثرات تزریق زیرجلدی و وریدی ترامادول قبل از برش جراحی در پیشگیری درد بعد از اعمال جراحی

در ناحیه تحتانی شکم

36- بررسی مقایسه ای بروز تحمل حاد به اثرات آنالژیک رمی فنتانیل با دو روش بیهوشی بر مبنای رمی فنتانیل و ایزوفلوران

بعد از جراحی ارتوپدی اندام تحتانی