

Curriculum Vitae

Name Farahnaz Fatemi Naeini MD.



Address Department of Dermatology, Alzahra hospital, Bulvar of Sofeh, Isfahan, Iran.

Phone +98-913-115-2790

Email: fatemi@med.mui.ac.ir

ORCID ID: <https://orcid.org/0000-0003-0618-5512>

PERSONAL INFORMATION

Date of birth: **1966**

Marital status: **Married**

EDUCATION

★EDUCATIONAL BACKGROUND:

1983-1991	Student of Medicine, Faculty of Medicine, Isfahan University of Medical Sciences
1991-1995	Specialization in Dermatology Faculty of Medicine, Isfahan University of Medical Sciences, Isfahan- Iran

★EDUCATIONAL BACKGROUND:

1995	Assistant Professor of Isfahan University of Medical Sciences, Isfahan, Iran.
2000	Director of student program
2003	Director of Dermatology clinic in Shahid Beheshti Hospital.
2000-present	Director of cutaneous lymphoma clinic in Alzahra Hospital.
2005- PRESENT	Director of resident program Isfahan University of Medical Sciences
2015-present	Website manager of Dermatology Department, Isfahan University of Medical Sciences.

GRANTS AND FELLOWSHIPS

Honors, Prizes and Awards

- development of a fistula on anterior neck after nonablative radiofrequency *journal of drugs in dermatology. 2009*

RESEARCH EXPERIENCE

★EMPLOYMENT HISTORY

2005-present	Member of Skin Diseases and Leishmaniasis Research Center committee
--------------	---

TEACHING EXPERIENCE

1995-present	Teaching of medical students
1995-present	Teaching of Dermatology residents
1995-present	Teaching to resident of dermatology every day
1995-present	Speaker in annual global dermatology conferences
1995-present	Speaker in seasonal global dermatology conferences
2005-2020	workshop planning and evaluate question exam of medical resident
1995-2003	Teaching to medical student in ICM course Seasonal
2010-present	Organizer of seasonal workshops for dermatology residents

RELEVANT WORK EXPERIENCE

2003- Present	Teaching Technical injection of fillers to dermatology Resident
2003- Present	Teaching Technical injection of BTX to dermatology Resident
2000- Present	Teaching of cutaneous lymphoma diagnosis classification and management of cutaneous lymphomas
2013-Present	Teaching of alopecia diagnosis classification and management of cutaneous lymphomas

PUBLICATIONS

- Incidence rate of mycosis fungoides in Isfahan (Iran) *journal of dermatology,japanese dermtologic association. 2010*
- Prevalence of androgenic alopecia in women of 20-70 years in Isfahan during 2008-2009 *Journal of Pakistan Association of Dermatologists. 2010*
- Developing of a fistula on anterior neck after nonablative radiofrequency *Journal of Drugs in Dermatology. 2009*
- Relationship between Intima-Media Thickness of Carotid Arteries and Coronary Stenosis in Angiography *Rawal medical journal RWJ. 2008*

- The effective interval between sessions for laser hair removal *Journal of Isfahan society of dermatology. 2008*
- . The effective interval between sessions for Laser hair removal. *Journal of Isfahan society of dermatology. 2007*
- Association of Waist Circumference and Blood Pressure *iranian lipid and metabolism journal. 2007*
- effects and complications of systemic corticosteroids *Journal of Isfahan society of dermatology. 2007*
- Electrocardiographic and angiographic correlation of positive T-wave in V1 and coronary stenosis in patients with stable angina *Pakistan journal of cardiology. 2007*
- astudy of the relationship between myocardial performance index and left ventricular end -diastolic pressure in in patient with left ventricular systolic *pakistan journal of CARDIOLOGY. 2006*
- Bleomycin tattoo as a promising modality in large keloids & hypertrophic scars *dermatologic surgery. 2006*
- comparison of the therapeutic response of keloids and hypertrophic scars to cryotherapy plus IL steroid and bleomycin tattooing *Indian journal of dermatology. 2005*
- Imaging techniques in dermatology *Iranian journal of Dermatology. 2005*
- cardiac rehabilitation comparison of its effect on improvement of ejection fraction and functional capacity in men and women *Pakistan Journal of Cardiology. 2004*
- aspirin in the management of recurrent herpes simplex virus infection *Research in Medical Sciences. 2003*
- Evaluation of therapeutic responsse of keloid & hypertrophic scars to bleomycine tattoo and to cryotherapy followed by intralesional triamcinolon injection *Sharekord University of Medical Sciences Journal. 2003*
- Hodgkins lymphoma overriding Blooms Syndrome *Journal of Isfahan Medical school. 2003*
- Psychologic traits of dermatologic options & normal compared *Danesh va pezhouhesh. 2001*
- Review Effect of chlorquine in treatment of sacoidosis *Journal of dermatology society of iran. 2001*
- Treatment of acne agminata with systemic corticosteroids *Jornal of dematology society of iran. 2001*
- The efficacy of PUVA bath in palmoplantar eczema *Journal of dermatology society of iran. 2000*
- the frequency of neonatal skin lesion in the first day of life *Journal of Isfahan Medical school. 2000*
- Acase report of congenital tricho folliculoma *Medical Journal of the Islamic Republic of Iran. 1999*

• cutaneous viral wart in meat handlers and slaughters in isfahan *Journal of Medical Council of Islamic Republic of Iran. 1999*

• Anticonvulsant Hypersensitivity Syndrome *Iranian journal of Dermatology. 1998*

• Dithranole in the treatment of alopecia areata *Nabse. 1993*

1. Fatemi Naeini F, Saber M, Mohaghegh F. "Follicular prominency", a new clinical sign in lichen planopilaris: Fire under the ashes. *Dermatol Ther.* 2021;34(2):e14873.
2. Fatemi Naeini F, Pourazizi M, Abtahi-Naeini B, Nilforoushzadeh MA, Najafian J. A novel option for treatment of primary axillary hyperhidrosis: fractionated microneedle radiofrequency. *J Postgrad Med.* 2015;61(2):141–3.
3. Fatemi F, Kiani A. Acne Agminata: Report of a case with a good response to oral Corticosteroid. *Iran J Dermatology.* 2001;4(3):44–9.
4. Mohaghegh F, Amiri A, Fatemi Naeini F, Rajabi P, Soltan M. Acral Eruptive Syringoma: An Unusual Presentation with Misdiagnosis. *Case Rep Dermatol Med.* 2020;2020.
5. Mohaghegh F, Hatami P, Aryanian Z, Fatemi F, Afshar ZM. Acute generalized exanthematous pustulosis following treatment with remdesivir in a patient with SARS-CoV-2 infection, a case report. 2022;
6. Fatemi-Naeini F, Mokhtari F, Saber M, Basiri A, Matin M. An epidemiological study of 198 cases of primary cicatricial alopecia in Iran. *J Adv Med Med Res.* 2017;20(4):1–6.
7. Momeni A, Asilian A, Meghdadi M, Enshaieh S, Shariati F, Zadeh N, et al. Anticonvulsant hypersensitivity syndrome. *Iran J Dermatology.* 1998;2(1):21–6.
8. Fatemi F, Kiani A, Fateh M. Aspirin in the management of recurrent herpes simplex virus infection: A randomized blinded, controlled crossover trial. 2003;
9. Najafian J, Boshtam M, Fatemi F. Association of Waist Circumference and Blood Pressure. *Iran J Endocrinol Metab.* 2007;9(3):279–84.
10. Naeini FF, Najafian J, Ahmadpour K. Bleomycin tattooing as a promising therapeutic modality in large keloids and hypertrophic scars. *Dermatologic Surg.* 2006;32(8):1023–30.
11. Najafian J, Fatemi F. Cardiac rehabilitation comparison of its effect on improvement of ejection fraction and functional capacity in men and women. 2004;
12. EMAMI NAR, FATEMI NF, GHORBANI A. CASE REPORT OF LYME DISEASE IN ISFAHAN. 2005;
13. Naeini FF, Najafian J, Nilforoushzadeh M. CD30+ large cell transformation of mycosis fungoides during pregnancy. *Indian J Dermatol.* 2013;58(2):160.
14. Fatemi Naeini F, Sadeghiyan H, Pourazizi M, Najafian J, Abtahi-Naeini B. Characteristics of primary cutaneous T-cell lymphoma in Iran: a 10-year retrospective study. *Int Sch Res Not.* 2014;2014.
15. Boustani A, Naeini FF, Sadeghiyan H, Pourazizi M, Abtahi-Naeini B. Characteristics of Primary Cutaneous T-Cell Lymphoma in Iran: A 10-Year Retrospective Study. 2015;
16. Naeini FF, Saber M, Asilian A, Hosseini SM. Clinical Efficacy and Safety of Methotrexate versus Hydroxychloroquine in Preventing Lichen Planopilaris Progress: A Randomized Clinical Trial. *Int J Prev Med.* 2017;8.

17. Naeini FF, Soghrati M, Abtahi-Naeini B, Najafian J, Rajabi P. Co-existence of various clinical and histopathological features of mycosis fungoides in a young female. *Indian J Dermatol.* 2015;60(2):214.
18. Abadchi SN, Naeini FF, Beheshtian E. Combination of hydroquinone and fractional CO2 laser versus hydroquinone monotherapy in melasma treatment: A randomized, single-blinded, split-face clinical trial. *Indian J Dermatol.* 2019;64(2):129.
19. Saber M, Bahraminejad M, Fatemi Naeini F, Mohaghegh F, Faghihi G, Hosseini SM. Comparison of systemic and topical isotretinoin in the treatment of facial lichen planopilaris: A randomized controlled trial. *J Cosmet Dermatol.* 2022;
20. Naeini FF, Nikyar Z, Mokhtari F, Bahrami A. Comparison of the fractional CO2 laser and the combined use of a pulsed dye laser with fractional CO2 laser in striae alba treatment. *Adv Biomed Res.* 2014;3.
21. Farahnaz FN, Jamshid N, Koroush A. Comparison of therapeutic response of keloids and hypertrophic scars to cryotherapy plus intralesional steroid and bleomycin tattoo. *Indian J Dermatol.* 2005;50(3):129.
22. Naieni FF, Akrami H. Comparison of three different regimens of oral azithromycin in the treatment of acne vulgaris. *Indian J Dermatol.* 2006;51(4):255.
23. Fatemi Naeini F, Akrami H. Comparison of three different regimens of oral azithromycin in the treatment of acne vulgaris. *J Isfahan Med Sch.* 2012;29(173):3028–33.
24. Iraj F, FATEMI F. Congenital trichofolliculoma: a case report. *Med J Islam Repub Iran.* 1999;13(1):81.
25. Naeini FF, Abtahi-Naeini B, Najafian J, Saffaei A, Pourazizi M. Correlation between mycosis fungoides and pregnancy. *Saudi Med J.* 2016;37(9):968.
26. Fatemi Naeini F, Mohaghegh F, Jelvan M, Asilian A, Saber M, Naeini FF, et al. Cyclosporine or methotrexate, which one is more promising in the treatment of lichen planopilaris?; A comparative clinical trial. *Int Immunopharmacol [Internet].* 2020;86. Available from: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85087820744&doi=10.1016%2Fj.intimp.2020.106765&partnerID=40&md5=317e3213049aeb5490f4dfa72564bb24>
27. Fatemi F, Rezaei M. Dermatomal and Solitary Plaque-type Psoriasis: Report of Two Unusual Cases. *Authorea Prepr.* 2022;
28. Naieni FF, Kashani H-H. Development of a fistula on anterior neck after nonablative radiofrequency. *J Drugs Dermatology JDD.* 2009;8(2):172–3.
29. Faghihi G, Poostiyan N, Asilian A, Abtahi-Naeini B, Shahbazi M, Iraj F, et al. Efficacy of fractionated microneedle radiofrequency with and without adding subcision for the treatment of atrophic facial acne scars: A randomized split-face clinical study. *J Cosmet Dermatol.* 2017;16(2):223–9.
30. Farahnaz F, Nader A, Ahmad Reza Z, Arash R. Efficacy of health belief model education on medical adherence of acne patients: a comparison of face to face and pamphlet education with control group. *Iran J Dermatology.* 2007;10(4):301–8.
31. Fatemi F, Salehi M, Rajabi P, Azimi Z, Kazemi M, Nasr M. Epidemiological Features of Mycosis Fungoides in Isfahan, Iran: a 3-Years Study. *Basic Clin Cancer Res.* 2012;4(3&4):7–10.
32. Mokhtari F, Fatemi-Naeini F, Panjehpour T, Hosseini SM, Nilforoushzadeh MA. Evaluation of

- anti-tissue-trans glutamines IgA in alopecia areata. *J Isfahan Med Sch.* 2016;34(379):381–6.
33. Fatemi F, Gholami A, Hosseini SM. Evaluation of the Efficacy of Piroxicam Gel in the Control of Pain and Erythema Caused by Fractional Co 2 Laser Compared with Lubricant Gel. *J Isfahan Med Sch.* 2011;29(140).
 34. Fatemi F, Danesh F. Facial lichen planopilaris: a novel treatment using oral isotretinoin: a case series study. *Authorea Prepr.* 2020;
 35. Naeini FF, Soghrati M. Fractional CO2 laser as an effective modality in treatment of striae alba in skin types III and IV. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2012;17(10):928.
 36. Fatemi Naeini F, Abtahi-Naeini B, Pourazizi M, Nilforoushzadeh MA, Mirmohammadkhani M. Fractionated microneedle radiofrequency for treatment of primary axillary hyperhidrosis: a sham control study. *Australas J Dermatol.* 2015;56(4):279–84.
 37. Naeini FF, Najafian J, Jazebi N. Hirsutism and body mass index in a representative sample of Iranian people. *ARYA Atheroscler.* 2012;8(1):43.
 38. Fatemi-Naeini F, Najafian J, Jazabi N, Nilforoushzadeh MA. Hirsutism and Body Mass Index in a Representative Sample of Iranian People. *J Isfahan Med Sch.* 2014;31(269):2271–6.
 39. Fatemi F, Saffaei A, Pourazizi M, Abtahi-Naeini B. Histopathological evidence of efficacy of microneedle radiofrequency for treatment of axillary hyperhidrosis. *Indian J Dermatol Venereol Leprol.* 2015;288–90.
 40. EMAMI NAR, JAVADI AA, FATEMI NF. HODGKIN'S LYMPHOMA OVERRIDING BLOOM'S SYNDROME (A CASE REPORT). 2003;
 41. Fatemi F, Asilian A, Forouz Mehr AA. Imaging techniques in dermatology. *Iran J Dermatology.* 2005;8(2):128–39.
 42. Salehi M, Azimi Z, Fatemi F, Rajabi P, Kazemi M, Amini G. Incidence rate of mycosis fungoides in Isfahan (Iran). *J Dermatol.* 2010;37(8):703–7.
 43. Naeini FF, Yazdanpanah M, Mohaghegh F, Rajabi P, Tabatabaei ET. Interferon α -induced lupus-like reaction in a mycosis fungoides patient: A case report. *Int J Clin Pharmacol Ther.*
 44. Asilian A, Safaei H, Iraj F, Naeini FF, Faghihi G, Mokhtari F. Interventions for bullous pemphigoid: An updated systematic review of randomized clinical trials. *Med J Islam Repub Iran [Internet].* 2021;35(1):1–6. Available from: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85115788015&doi=10.47176%2Fmjiri.35.111&partnerID=40&md5=28023e2613274ac88efd5577b155523c>
 45. Fatemi F, Mohaghegh F, Danesh F, Saber M, Rajabi P. Isotretinoin for the treatment of facial lichen planopilaris: A new indication for an old drug, a case series study. *Clin Case Reports.* 2020;8(12):2524–9.
 46. Abtahi-Naeini B, Naeini FF, Faranoush M, Bolandnazar N. Large plaque parapsoriasis in a child: A rare entity in pediatric oncology. *Indian J Med Paediatr Oncol.* 2019;40(S 01):S157–9.
 47. Naeini FF, Saber M, Faghihi G. Lichen planopilaris: A review of evaluation methods. *Indian J Dermatol Venereol Leprol.* 2021;87(3):442–5.
 48. Naeini FF, Pourazizi M, Abtahi-Naeini B, Saffaei A, Bagheri F. Looking beyond the cosmetic tattoo lesion near the eyebrow: Screening the lungs. *J Postgrad Med.* 2017;63(2):132.

49. Iraj F, Azampour H, Fatemi F. METHOXSALEN BATH IN THE TREATMENT OF PALMOPLANTAR ECZEMA: A DOUBLE-BLIND. PLACEBO CONTROLLED CLINICAL TRIAL. 2000;
50. Faghihi G, Nabavinejad S, Mokhtari F, Naeini FF, Iraj F. Microneedling in androgenetic alopecia; comparing two different depths of microneedles. *J Cosmet Dermatol.* 2021;20(4):1241–7.
51. Fatemi Naeini F, Abtahi-Naeini B, Sadeghiyan H, Nilforoushzadeh MA, Najafian J, Pourazizi M. Mycosis fungoides in Iranian population: An epidemiological and clinicopathological study. *J Skin Cancer.* 2015;2015.
52. Naeini F, Najafian J, Salehi M, Azimi Z, Rajabi P. Mycosis Fungoides: Epidemiology in Isfahan, Iran. *J Cosmet Dermatological Sci Appl.* 2012;2(03):229.
53. Fatemi-Naeini F, Najafian J, Salehi M, Azimi Z, Nilforoushzadeh MA, Rajabi P. Mycosis Fungoides: Epidemiology in Isfahan, Iran. *J Isfahan Med Sch.* 2014;31(269):2301–8.
54. Asilian A, Fatemi F, Ganjei Z, Siadat AH, Mohaghegh F, Siavash M. Oral Pulse Betamethasone, Methotrexate, and Combination Therapy to Treat Severe Alopecia Areata: A Randomized, Double-blind, Placebo-controlled, Clinical Trial. *Iran J Pharm Res.* 2021;20(1):267–73.
55. Nilforoushzadeh M, Hosseini SM, Fatemi Naeini F, Jaffary F, Haftbaradaran E, Rahmanian N, et al. Prevalence of androgenetic alopecia among women between 20-70 years old in Isfahan province in 2008-2009. *J Dermatology Cosmet.* 2010;1(3):134–9.
56. Fatemi F, Rahmaniyan N, Vatankhah M, Hashemi F. Prevalence of androgenic alopecia in women of 20-70 years in Isfahan during 2008-2009. *J Pakistan Assoc Dermatologists.* 2010;20(2):75–8.
57. Mohaghegh F, Fatemi F, Rajabi P, Mozafarpour S. Primary Angioplasmacellular hyperplasia: multiple lesions with dramatic response to isotretinoin; a case presentation. *Iran J Dermatology.* 2022;25(2).
58. Naeini FF, Abtahi-Naeini B, Pourazizi M, Sadeghiyan H, Najafian J. Primary cutaneous lymphomas: A clinical and histological study of 99 cases in Isfahan, Iran. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2015;20(9):827.
59. Fatemi Naeini F, Abtahi-Naeini B, Pourazizi M, Sadeghiyan H, Najafian J. Primary cutaneous lymphomas: A clinical and histological study of 99 cases in Isfahan, Iran. *J Res Med Sci.* 2015;827–31.
60. Fatemi Naeini F, Behfar S, Abtahi-Naeini B, Keyvan S, Pourazizi M. Promising option for treatment of striae alba: fractionated microneedle radiofrequency in combination with fractional carbon dioxide laser. *Dermatol Res Pract.* 2016;2016.
61. Asilian A, Iraj F, Fatemi Naeini F, Faghihi G, Mokhtari F, Mohaghegh F, et al. Purpura and Microvascular Occlusion. *Atlas Dermatology, Dermatopathol Venereol Inflamm Dermatoses.* 2022;421–37.
62. Abtahi-Naeini B, Naeini FF, Adibi N, Pourazizi M. Quality of life in patients with primary axillary hyperhidrosis before and after treatment with fractionated microneedle radiofrequency. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2015;20(7):631.
63. Najafian J, Mohammadifard N, Naeini FF, Nouri F. Relation between usual daily walking time and metabolic syndrome. *Niger Med J J Niger Med Assoc.* 2014;55(1):29.
64. Najafian J, Fatemi F, Esfahani MA, Najafian A. Relationship between intima-media thickness of carotid arteries and coronary stenosis in angiography. *Rawal Med J Jan-Jun.* 2008;33:59–

- 61.
65. Fatemi Naieni F, Ebrahimi B, Vakilian HR, Shahmoradi Z. Serum iron, zinc, and copper concentration in premature graying of hair. *Biol Trace Elem Res.* 2012;146(1):30–4.
66. Khorvash F, Abdi F, Kashani HH, Naeini FF, Narimani T. Staphylococcus aureus in acne pathogenesis: a case-control study. *N Am J Med Sci.* 2012;4(11):573.
67. Nilforoushzadeh MA, Naeeni FF, Sattar N, Haftbaradaran E, Jaffary F, Askari G. The effect of intralesional meglumine antimoniate (glucantime) versus a combination of 50% topical trichloroacetic acid and local heat therapy by non-ablative radiofrequency on cutaneous leishmaniasis lesions. *J Res Med Sci.* 2012;17.
68. Naini FF, Shooshtari AV, Ebrahimi B, Molaei R. The effect of pseudocatalase/superoxide dismutase in the treatment of vitiligo: A pilot study. *J Res Pharm Pract.* 2012;1(2):77.
69. Fatemi-Naeini F, Vaez-Shooshtari A, Ebrahimi B, Nilforoushzadeh MA, Molaei R. The effect of pseudocatalase/superoxide dismutase in treatment of vitiligo: a pilot study. *J Isfahan Med Sch.* 2014;31(269):2309–14.
70. Mokhtari F, Panjehpour T, Naeini FF, Hosseini SM, Nilforoushzadeh MA, Matin M. The frequency distribution of celiac autoantibodies in alopecia areata. *Int J Prev Med.* 2016;7.
71. FATEMI F, IRAJI F. THE FREQUENCY OF NEONATAL SKIN LESIONS IN THE FIRST DAY OF LIFE. 2000;
72. Najafian J, Fatemi F, Esfahani MA, Najafian A. The Journal of the Pakistan Medical Association Rawalpindi-Islamabad.
73. Moloudi J, Zamani A, Fatemi-Naeini F, Fatahi N, Amini A, Moloudi MR. The relationship of androgenic alopecia and opium consumption in men: A comparative study. *J Isfahan Med Sch.* 2016;34(407):1375–80.
74. Khorvash F, Abdi F, Kashani HH, Naeini FF, Khorvash F. Themes: Title: Efficacy of Mupirocin and Rifampin Used with Standard Treatment in the Management of Acne Vulgaris. *Iran J Pharm Res.* 2013;12(1):223–7.
75. Naeini FF, Naeini BA, Sadeghiyan H, Pourazizi M. Thinking outside the skin: Look at the thyroid for true diagnosis. *Arch Adv Biosci.* 2014;5(4).
76. Fatemi Naeini F, Abtahi Naeini B, Sadeghiyan H, Pourazizi M. Thinking outside the skin: Look at the thyroid for true diagnosis. *Arch Adv Biosci.* 2015;5(4):7862.
77. Ebrahimi B, Naeini FF. Topical tranexamic acid as a promising treatment for melasma. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2014;19(8):753.
78. Fatemi F, Najafian J, Nasab SS, Nilforoushzadeh MA. Treatment of acne vulgaris using the combination of topical erythromycin and miconazole. *J Ski Stem Cell.* 2014;1(3).
79. Abtahi-Naeini B, Naeini FF, Saffaei A, Behfar S, Pourazizi M, Mirmohammadkhani M, et al. Treatment of primary axillary hyperhidrosis by fractional microneedle radiofrequency: Is it still effective after long-term follow-up? *Indian J Dermatol.* 2016;61(2):234.
80. Asilian A, Irabi F, Shahmoradi Z, Naeini FF, Faghihi G, Mohaghegh F, et al. Urticaria and Mastocytosis. *Atlas Dermatology, Dermatopathol Venereol Inflamm Dermatoses.* 2022;87–103.
81. Shahmoradi Z, Najafian J, Naeini FF, Fahimipour F. Vitiligo and autoantibodies of celiac

disease. Int J Prev Med. 2013;4(2):200.

82. SALEHI M, AZIMI Z, FATEMI F, RAJABI P, KAZEMI M, AMINI G. WHO Classification of Tumours of Haemopoietic and Lymphatic Tissue WHO Classification of Tumours of Haemopoietic and Lymphatic Tissue, 2008. J Dermatol. 2010;37(8):703–7.

★Books

- text book of dermatologic surgery *Hayan. 2006*
- New methods of phototherapy in dermatology *Isfahan medical university publication. 2002*
- Text book of skin disease *MANI PUBLICATION. 2002*

Cutaneous lymphoma, Isfahan University of Medical Sciences and Health Services, 2012.

New methods in periorbital rejuvenation, 2022

★★CONFERENCES

- Is it better to use shorter intervals for laser hair removal? *8th International congress of Iranian Society of Dermatology. 2008*
- Is it better to use shorter intervals for laser hair removal? *8th International congress of Iranian Society of Dermatology. 2008*
- Less or more Sessions for laser hair removal ? *the 8th International congress of Iranian Society Of Dermatology. 2008*
- The role of Staphylococcus Aureus in Acne *17th Congress of European Academy of Dermatology and Venerology. 2008*
- The most effective interval between sessions for laser hair removal. *The third congress of Skin Disease and Leishmaniasis, 2007 November 13-15; Isfahan ,Iran. 2007*
- Comparative study of three regimen of oral Azithromycine in the treatment of acne vulgariis *15TH EADV congress. 2006*
- How to assesing patients with hair loss *the second congress of hair diseases and news in dermatology. 2006*

- the prevalence of canities in iranians of 18-20 years old *the second congress of hair diseases and news in dermatology. 2006*
- the prevalence of canities in iranians of 18-20 years old *the second congress of hair diseases and news in dermatology. 2006*
- vitix in the treatment of vitiligo *15th EADV congress. 2006*
- A case report of cephalexin induced bullous pemphigoid *7TH asian congress of dermatology. 2005*
- Comparison the therapeutic effect of topical erythromycine and combination of erythromycine and mandelic acid in acne vulgaris *7TH asian congress of dermatology. 2005*
- Diagnostic criteria in atopic dermatitis *the second international congress of dermatology and news in leishmaniasis. 2005*
- Imaging technics in dermatology *the second international congress of dermatology and news in leishmaniasis. 2005*
- Study the cause of generalized pruritus in patients without any dermatologic disorders *the second international congress of dermatology and news in leishmaniasis. 2005*
- The best simple and reliable criteria for diagnosis of atopic dermatitis *7TH asian congress of dermatology. 2005*
- asperin in the management of recurrent herpes simplex virus infection *9th international congress of dermatology. 2004*
- the therapeutic effect of bleomycine tattooing in hypertrophic scars and keloids *7TH international congress of dermatology. 2004*
- Topical aspirin in the management of pruritus in lichen plan *IX international congress of dermatology. 2004*
- camparision of mandelic acid 6% and hydroquinon 4% and thir combination on treatment of melasma *congress uf updates on cutaneous leshmaniosis. 2003*
- The effect of antianginal drugs on physical conditioning improvement of coronary disease patients due to rehabilitation *The international symposium CARDIOLOGY 19999 prevention and rehabilitation. 2002*
- chlorquin in treatment of sarcoidosis *Sixth International Congress of Dermatology. 2001*
- treatment of cutaneous leishmaniosis with combination of glucontin and allopourinol *Sixth International Congress of Dermatology. 2001*
- the effect of relaxation and biofeedback assisted relaxation on patients with mild hypertention *Cardiology up date 2000. 2000*
- the efect of exercise training on blood pressure *cardiology update1998. 1998*

PATENTS

-

RESEARCH INTERESTS

Cutaneous lymphoma- Phototheraopy

TEACHING INTERESTS

Cutaneous lymphoma- Phototheraopy

BTX and filler injection

Ultherapy

RF treatment

Endo lift

Laser procedures

Professional Memberships

1995- Present	Member of Iran Dermatology society
---------------	------------------------------------

Extra-Curricular Activities
