

Curriculum Vitae



Name : Mohammad Reza Safavi
Address : Alzahra Hospital
Phone – Email 09133152416- safavi@med.mui.ac.ir
drmrssafavi@gmail.com
<https://orcid.org/0000-0002-8975-7661>

PERSONAL INFORMATION

Date of birth, Marital statuses, ...

- Birth Date: 24 may 1969
- Marital status: Married

EDUCATION

Most recent

Date, Degree/Course, Department/University, Dissertation title

- 2001-2005 Specialty in anesthesia , Isfahan University of Medical Sciences, Isfahan, Iran
- 1997-2001 General Medicine, Najafabad Azad University, Isfahan, Iran
- 2009 associated professor, Isfahan University of Medical Sciences, Isfahan, Iran
- 2016 full professor, Isfahan University of Medical Sciences, Isfahan, Iran

RESEARCH EXPERIENCE

Date, Title, University/organization, Description

- Member of the intensive care unit, Isfahan University of Medical Sciences, since 2005

TEACHING EXPERIENCE

Dates, Title, University/organization, Course/s taught, description of duties

- anesthesia Interns' Instructor at Isfahan University of Medical Sciences
- Test Holder / Member of Examination Committee of Promotion Marks, anesthesia Department, Isfahan University of Medical Sciences
- Head of anesthesia students' academic affairs, Isfahan University of Medical Sciences 2007-present

RELEVANT WORK EXPERIENCE

Dates, Title, University/organization, Description

2007- Present

Employer: Alzahra Hospital

Position: Chairman of anesthesia Department

2010- Present

Employer: Self-Employed – Private Clinic

Position: Anesthesia Subspecialist

2013- 2015

Employer: Alzahra Hospital

Position: Manager of Educational Center and anesthesia Operation Rooms

UNIVERSITY SERVICE

Dates, University/organization, Description

- Appointed as Head of Anesthesia Department, alzahra hospital, 2023
- anesthesia Interns' Instructor at Isfahan University of Medical Sciences
- Test Holder / Member of Examination Committee of Promotion Marks, anesthesia Department, Isfahan University of Medical Sciences
- Head of anesthesia students' academic affairs, Isfahan University of Medical Sciences 2018-2019
- In charge of assessing documentation of medical files, alzahra hospital Health and Education Center, since 2019
- Representative of vice dean for research affairs in Isfahan University of Medical Sciences, 2017-2018

RESEARCH INTERESTS

Research area

- Anesthesiology and pain and ICU
 - Trauma
-

TEACHING INTERESTS

Class title or subject

- Management of congenital and developmental icu and pain
- Treatment of PICU
- Management of brachial plexus block
- Foot and ankle block

PUBLICATIONS

Bibliographic format

A) CONFERENCES

A comparison of different doses of remifentanil and tracheal lidocaine on attenuation of cardiovascular responses to laryngoscopy and tracheal intubation

Conference: Ist international cardiac anesthesiology congress. 2011; (Poster)

Authors: Azim Honarmand1, Mohammadreza Safavi1, Fatemehsadat Mortazavi

1.Associate Professor of Anesthesia Anesthesiology and Critical Care Research Center, Isfahan University of Medical Sciences, Isfahan, Iran

A comparison of intravenous pethidine vs. sufentanil on attenuation of cardiovascular responses to laryngoscopy and tracheal intubation

Conference: Ist international cardiac anesthesiology congress. 2011; (Poster)

Authors: Mohammadreza Safavi 1,Azim Honarmand1, Shiva Daneshpor 1.Associate Professor of Anesthesia Anesthesiology and Critical Care Research Center, Isfahan University of Medical Sciences, Isfahan, Iran

Does microalbuminuria predict duration of mechanical ventilation in critical ill patients?

Conference: Does microalbuminuria predict duration of mechanical ventilation in critical ill patients?. 2011; (Speech)

Authors: Mohammadreza Safavi(First author) Associate Professor of Anesthesiaand Intensive Care, Department of Anesthesiology and Intensive Care Medicine, Isfahan University of medical sciences, , Isfahan, Iran. Azim Honarmand(Second author)

Associate Professor of Anesthesiaand Intensive Care, Department of Anesthesiology and Intensive Care Medicine, Isfahan University of medical sciences, Isfahan, I

Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation

Conference: Ist international cardiac anesthesiology cogenesis. 2011; (Speech)

Authors: Azim Honarmand1, Mohammadreza Safavi1, Mahdi Habibi 1.Associate Professor of Anesthesia Anesthesiology and Critical Care Research Center, Isfahan University of Medical Sciences, Isfahan, Iran Acceptant:Indian J Crit Care Med July-September 2008 Vol 12 Issue 3

The evaluation effects of hemodynamic cardiovascular changes induced by inspired oxygen fraction in patients undergoing on- pump coronary artery surgery: a randomized double-blind placebo controlled trial study

Conference: Ist international cardiac anesthesiology congress. 2011; (Speech)

Authors: Mohammadreza Safavi 1,Azim Honarmand1, Neda Kargar 1.Associate Professor of Anesthesia Anesthesiology and Critical Care Research Center, Isfahan University of Medical Sciences, Isfahan, Iran Acceptant :Iranian Cardiovascular Research Journal Vol.2, No. 1, 2008 Index: Scopus

B) JOURNAL PAPERS

1. Safavi M, Honarmand A. Admission hypomagnesemia--impact on mortality or morbidity in critically ill patients. *Middle East J Anaesthesiol.* 2007;19(3):645–60.
2. Honarmand A, Safavi MR. Comparison of prophylactic use of midazolam, ketamine, and ketamine plus midazolam for prevention of shivering during regional anaesthesia: a randomized double-blind placebo controlled trial. *Br J Anaesth.* 2008;101(4):557–62.
3. Honarmand A, Safavi MR, Jamshidi M. The preventative analgesic effect of preincisional peritonsillar infiltration of two low doses of ketamine for postoperative pain relief in children following adenotonsillectomy. A randomized, double-blind, placebo-controlled study. *Pediatr Anesth.* 2008;18(6):508–14.
4. Attari MA, Mirhosseini SA, Honarmand A, Safavi MR. Spinal anesthesia versus general anesthesia for elective lumbar spine surgery: A randomized clinical trial. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2011;16(4):524.
5. Honarmand A, Safavi M. Prevention of Propofol-Induced Injection Pain by Sufentanil. *Clin Drug Investig.* 2008;28(1):27–35.
6. Safavi M, Honarmand A. Attenuation of cardiovascular responses to laryngoscopy and tracheal intubation. *MEJ Anest.* 2008;19(6):1349–60.
7. Honarmand A, Safavi MR. Prediction of difficult laryngoscopy in obstetric patients scheduled for Caesarean delivery. *Eur J Anaesthesiol.* 2008;25(9):714–20.
8. Safavi M, Honarmand A. The impact of admission hyperglycemia or hypoalbuminemia on need ventilator, time ventilated, mortality, and morbidity in critically ill trauma patients. *Ulus Travma Acil Cerrahi Derg.* 2009;15(2):120–9.
9. Montazeri K, Kashefi P, Honarmand A, Safavi M, Hirmanpour A. Attenuation of the pressor response to direct laryngoscopy and tracheal Intubation: oral clonidine vs. oral gabapentin premedication. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2011;16(Suppl1):S377.
10. Safavi M, Honarmand A, Zare N. A comparison of the ratio of patient's height to thyromental distance with the modified Mallampati and the upper lip bite test in predicting difficult laryngoscopy. *Saudi J Anaesth.* 2011;5(3):258.
11. Safavi M, Honarmand A, Nematollahy Z. Pre-incisional analgesia with intravenous or subcutaneous infiltration of ketamine reduces postoperative pain in patients after open cholecystectomy: a randomized, double-blind, placebo-controlled study. *Pain Med.* 2011;12(9):1418–26.
12. Safavi MR, Honarmand A. LOW DOSE INTRAVENOUS MIDAZOLAM FOR PREVENTION OF PONV, IN LOWER ABDOMINAL SURGERY. *Dep Anesthesiol Am Univ Beirut Med Cent PO Box 11-0236 Beirut 1107-2020, Lebanon.* 2009;20(1):75.
13. SAFAVI MR, Honarmand A. Comparison of infection probability score, APACHE II, and APACHE III scoring systems in predicting need for ventilator and ventilation duration in critically ill patients. 2007;
14. Safavi M, Honarmand A, Habibabady MR, Baraty S, Aghadavoudi O. Assessing intravenous ketamine and intravenous dexamethasone separately and in combination for early oral intake, vomiting and postoperative pain relief in children following tonsillectomy. *Med Arch.* 2012;66(2):111.
15. Honarmand A, Safavi M. Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation. *Indian J Crit care Med peer-reviewed, Off Publ Indian Soc Crit Care Med.* 2008;12(3):96.

16. Saghaei M, Safavi MR. Prediction of prolonged laryngoscopy. *Anaesthesia*. 2001;56(12):1181–201.
17. Honarmand A, Safavi M, Karaky H. Preincisional administration of intravenous or subcutaneous infiltration of low-dose ketamine suppresses postoperative pain after appendectomy. *J Pain Res*. 2012;5:1.
18. Safavi M, Honarmand A, Azari N. Attenuation of the pressor response to tracheal intubation in severe preeclampsia: relative efficacies of nitroglycerine infusion, sublingual nifedipine, and intravenous hydralazine. *Anesthesiol pain Med*. 2011;1(2):81.
19. Kashefi P, Honarmand A, Safavi M. Effects of preemptive analgesia with celecoxib or acetaminophen on postoperative pain relief following lower extremity orthopedic surgery. *Adv Biomed Res*. 2012;1.
20. Honarmand A, Safavi M. The new Injury Severity Score: a more accurate predictor of need ventilator and time ventilated in trauma patients than the Injury Severity Score. *Turkish J Trauma Emerg Surg*. 2008;14(2):110–7.
21. Safavi M, Honarmand A. Tracheal intubation without muscle relaxants: a randomized study of remifentanil or alfentanil in combination with thiopental. *Ann Saudi Med*. 2008;28(2):89–95.
22. Abrishamkar S, Safavi M, Honarmand A. Effect of erythropoietin on Glasgow Coma Scale and Glasgow Outcome Scale in patient with diffuse axonal injury. *J Res Med Sci Off J Isfahan Univ Med Sci*. 2012;17(1):51.
23. Honarmand A, Safavi M, Moradi D. The use of infection probability score and sequential organ failure assessment scoring systems in predicting mechanical ventilation requirement and duration. *Ulus Travma Acil Cerrahi Derg*. 2009;15(5):440–7.
24. Honarmand A, Safavi M, Zare M. Gabapentin: an update of its pharmacological properties and therapeutic use in epilepsy. *J Res Med Sci Off J Isfahan Univ Med Sci*. 2011;16(8):1062.
25. Honarmand A, Safavi MR. Preoperative oral dextromethorphan vs. clonidine to prevent tourniquet-induced cardiovascular responses in orthopaedic patients under general anaesthesia. *Eur J Anaesthesiol*. 2007;24(6):511–5.
26. Jabalameli M, Honarmand A, Safavi M, Chitsaz M. Treatment of postoperative nausea and vomiting after spinal anesthesia for cesarean delivery: A randomized, double-blinded comparison of midazolam, ondansetron, and a combination. *Adv Biomed Res*. 2012;1.
27. Honarmand A, Safavi M. Magnesium sulphate pretreatment to alleviate pain on propofol injection: A comparison with ketamine or lidocaine. *Acute Pain*. 2008;10(1):23–9.
28. Abrishamkar S, Karimi M, Safavi M, Honarmand A, Safavi A. Effects of intraoperative-intrathecal sufentanil injection on postoperative pain management after single level lumbar discectomy. *Middle East J Anaesthesiol*. 2010;20(6):839–44.
29. Safavi M, Honarmand A, Negahban M, Attari M. Prophylactic effects of intrathecal Meperidine and intravenous Ondansetron on shivering in patients undergoing lower extremity orthopedic surgery under spinal anesthesia. *J Res Pharm Pract*. 2014;3(3):94.
30. SAFAVI MR, HONARMAND A, ATARI MALI. The pre-emptive analgesic effect of peritonsillar infiltration of ketamine for postoperative pain relief in children following tonsillectomy. A randomized, double-blind, placebo-controlled study. 2009;
31. Jabalameli M, Safavi M, Honarmand A, Saryazdi H, Moradi D, Kashefi P. The comparison of intraincisional injection tramadol, pethidine and bupivacaine on postcesarean section pain relief under spinal anesthesia. *Adv Biomed Res*. 2012;1(1):53.
32. Kashefi P, Montazeri K, Honarmand A, Safavi M, MIRZAEE HH. The analgesic effect of midazolam when added to lidocaine for intravenous regional anaesthesia. 2011;

33. Honarmand A, Safavi M, Baghery K, Momayezi A. The association of microalbuminuria and duration of mechanical ventilation in critically ill trauma patients. *Ulus Travma Acil Cerrahi Derg.* 2009;15(1):12–8.
34. Honarmand A, Safavi M. Cardiovascular response during induction of anesthesia and tracheal intubation with thiopental added to fentanyl, ketamine, and fentanyl-ketamine. *Ghana Med J.* 2009;43(1):7.
35. Honarmand A, Safavi M, Khalili G, Mohammadnejad F. Prophylactic administration of haloperidol plus midazolam reduces postoperative nausea and vomiting better than using each drug alone in patients undergoing middle ear surgery. *Saudi J Anaesth.* 2012;6(2):145.
36. Honarmand A, Safavi M, Fatemi A. The analgesic effect of three different doses of nitroglycerine when added to lidocaine for intravenous regional anesthesia in trauma patients. *Turkish J Trauma Emerg Surg.* 2011;17(6):497–503.
37. Honarmand A, Safavi M, Ansari N. A comparison of between hyomental distance ratios, ratio of height to thyromental, modified Mallampati classification test and upper lip bite test in predicting difficult laryngoscopy of patients undergoing general anesthesia. *Adv Biomed Res.* 2014;3.
38. Montazeri K, Vakily M, Honarmand A, Kashefi P, Safavi M, Taheri S, et al. Clinical Study Short-Time Intermittent Preexposure of Living Human Donors to Hyperoxia Improves Renal Function in Early Posttransplant Period: A Double-Blind Randomized Clinical Trial. 2011;
39. Honarmand A, Safavi M, Adineh-Mehr L. Effect of adding 8 milligrams ondansetron to lidocaine for Bier's block on post-operative pain. *Adv Biomed Res.* 2013;2.
40. Azim H, Mohammadreza S. The new injury severity score: A more accurate predictor of need ventilator and time ventilated in trauma patients than the injury severity score. 2006;
41. Varposhti MR, Heidari SM, Safavi M, Honarmand A, Raeesi S. Postoperative residual block in postanesthesia care unit more than two hours after the administration of a single intubating dose of atracurium. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2011;16(5):651.
42. Abrishamkar S, Moin H, Safavi M, Honarmand A, Hajibabaei M, Haghghi EK, et al. A new system for neuronavigation and stereotactic biopsy pantograph stereotactic localization and guidance system. *J Surg Tech Case Rep.* 2011;3(2).
43. Safavi M, Honarmand A, OMID A, Shetabi H. Comparison of different methods of teaching for residents of anesthesiology. 2012;
44. Montazeri K, Okhovat A, Honarmand A, Safavi MR, Ashrafy L. Pre-incisional infiltration of tonsils with dexamethasone dose not reduce posttonsillectomy vomiting and pain in children. *Saudi J Anaesth.* 2009;3(2):53.
45. Honarmand A, Safavi MR. The comparability of Second dose Thiopental with Lidocaine in The attenuation of Cardiovascular response to Endotracheal intubation. 2009;
46. Safavi A, Honarmand A. Comparative effects of different anesthetic regimens on the oculocardiac reflex. *Int Cardiovasc Res J.* 2007;1(2).
47. Sajedi P, Nemati M, Mosavi SH, Honarmand A, Safavi MR. A randomized controlled trial for the effectiveness of intraarticular versus intravenous midazolam on pain after knee arthroscopy. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2014;19(5):439.
48. Safavi A, Honarmand A. A Comparative Effect of Intravenous Pethidine vs Sufentanil on Attenuation of Cardiovascular Responses to Laryngoscopy and Tracheal Intubation: a Randomized Double-Blind Placebo Controlled Trial Study. *Int Cardiovasc Res J.* 2007;1(4).

49. Safavi M, Honarmand A, Atari M, Chehrodi S, Amoushahi M. An evaluation of the efficacy of different doses of ketamine for treatment of catheter-related bladder discomfort in patients underwent urologic surgery: A prospective, randomized, placebo-controlled, double-blind study. *Urol Ann.* 2014;6(1):51.
50. Honarmand A, Safavi M Do. C-reactive protein and body mass index predict duration of mechanical ventilation in critically ill trauma patients. *Ulus Travma Acil Cerrahi Derg.* 2008;14:284–91.
51. Safavi M, Honarmand A. A comparison of different doses of remifentanil and tracheal lidocaine on attenuation of cardiovascular responses to laryngoscopy and tracheal intubation. *Turkish J Med Sci.* 2009;39(3):439–45.
52. Honarmand A, Safavi M, Badiei S, Daftari-Fard N. Different doses of intravenous Magnesium sulfate on cardiovascular changes following the laryngoscopy and tracheal intubation: A double-blind randomized controlled trial. *J Res Pharm Pract.* 2015;4(2):79.
53. Safavi M, Honarmand A. Postoperative analgesia after caesarean section: Intermittent intramuscular versus subcutaneous morphine boluses. *Acute Pain.* 2007;9(4):215–9.
54. Lashgarinia M, Naghibi K, Honarmand A, Safavi M, Khazaei M. Effect of ketamine as an adjuvant in ultrasound-guided supraclavicular brachial plexus block: A double-blind randomized clinical trial study. *Adv Biomed Res.* 2014;3.
55. Abrishamkar S, Karimi Y, Safavi M, Tavakoli P. Single level cervical disc herniation: A questionnaire based study on current surgical practices. *Indian J Orthop.* 2009;43(3):240.
56. Honarmand A, Safavi M, Khalighinejad F. A comparison of the effect of pretreatment with intravenous dexamethasone, intravenous ketamine, and their combination, for suppression of remifentanil-induced cough: a randomized, double-blind, placebo-controlled clinical trial. *Adv Biomed Res.* 2013;2.
57. Hirmanpour A, Safavi M, Honarmand A, Jabalameli M, Banisadr G. The predictive value of the ratio of neck circumference to thyromental distance in comparison with four predictive tests for difficult laryngoscopy in obstetric patients scheduled for caesarean delivery. *Adv Biomed Res.* 2014;3.
58. Safavi M. Influence of head flexion after endotracheal intubation on intraocular pressure and cardio-respiratory response in patients undergoing cataract surgery. *Ghana Med J.* 2008;42(3).
59. Safavi M, Honarmand A, Fariborzifar A, Attari M. Intravenous dexamethasone versus ketamine gargle versus intravenous dexamethasone combined with ketamine gargle for evaluation of post-operative sore throat and hoarseness: A randomized, placebo-controlled, double blind clinical trial. *Adv Biomed Res.* 2014;3.
60. Safavi M, Honarmand A, Sahaf AS, Sahaf SM, Attari M, Payandeh M, et al. Magnesium sulfate versus Lidocaine pretreatment for prevention of pain on etomidate injection: A randomized, double-blinded placebo controlled trial. *J Res Pharm Pract.* 2015;4(1):4.
61. Honarmand A, Safavi M. Unusual right internal jugular vein catheter malposition into the right axillary vein: A rare case report. *Adv Biomed Res.* 2012;1.
62. Honarmand A, Safavi M, Nemati K, Oghab P. The efficacy of different doses of Midazolam added to Lidocaine for upper extremity Bier block on the sensory and motor block characteristics and postoperative pain. *J Res Pharm Pract.* 2015;4(3):160.
63. Safavi M, Honarmand A, Kashefi P, Heidari SM, Safavi A, Hekmat R. Post-delivery cardiomyopathy in a patient admitted to critical care unit; a rare case report. *J Reprod Infertil.* 2011;12(1):37.

64. SAFAVI M, ABRISHAMKAR S, TVAKOLI P, Moradi D, Honarmand A. Predisposing factors for serum sodium disturbance in patients with severe traumatic brain injury (SBI). *Turkish J Med Sci.* 2010;40(6):851–5.
65. Honarmand A, Safavi MR, Habibzadeh MR. Postoperative analgesic and adverse effects of two low doses of intrathecal neostigmine and its influence on spinal bupivacaine anaesthesia after knee arthroscopy. *Acute Pain.* 2009;11(1):31–7.
66. Safavi M, Honarmand A, Amoushahi M. Prediction of difficult laryngoscopy: Extended mallampati score versus the MMT, ULBT and RHTMD. *Adv Biomed Res.* 2014;3.
67. Honarmand A, Safavi M, Yaraghi A, Attari M, Khazaei M, Zamani M. Comparison of five methods in predicting difficult laryngoscopy: Neck circumference, neck circumference to thyromental distance ratio, the ratio of height to thyromental distance, upper lip bite test and Mallampati test. *Adv Biomed Res.* 2015;4.
68. Honarmand A, Safavi M, Dadkhah S, Amoushahi M. The effects of different doses of intrathecal meperidine on the incidence and severity of shivering during lower extremity orthopedic surgery under spinal anesthesia: A randomized, placebo-controlled, double blind-clinical trial. *Adv Biomed Res.* 2015;4.
69. Heidari M, Honarmand A, Safavi M, Chitsazi M, Khalighinejad F. Geranisetron versus gabapentin in preventing postoperative nausea and vomiting after middle ear surgery in adults: a double-blinded randomized clinical trial. *Adv Biomed Res.* 2015;4.
70. Honarmand A, Safavi A. Influence of head flexion on intraocular pressure, cardiovascular, and respiratory responses in patients undergoing cataract surgery after endotracheal intubation. *Int Cardiovasc Res J.* 2007;1(2).
71. SAFAVI MR, HONARMAND A. SECOND DOSE OF THIOPENTAL IS COMPARABLE WITH LIDOCAINE FOR ATTENUATING THE CARDIOVASCULAR RESPONSE TO ENDOTRACHEAL INTUBATION. 2007;
72. Safavi M, Honarmand A, Banisadr G. Comparing the effects of three different additional doses of propofol infusion on intubation condition and hemodynamic changes during general anesthesia under elective surgery: A randomized, placebo-controlled, double blind clinical trial. *Adv Biomed Res.* 2014;3.
73. Safavi M. Prediction of Difficult Laryngoscopy in Pregnant Women Undergoing Cesarean Section Using the Hyomental Distance in fully extended and neutral position of neck. Comp With four usual bedside tests A Prospect Blind study. 2016;1–7.
74. Bagheri K, Safavi M, Honarmand A, Kashefi P, Ghasemi M, Mohammadinia L. Investigating the relationship between intra-operative electrolyte abnormalities (sodium and potassium) with post-operative complications of coronary artery bypass surgery. *Adv Biomed Res.* 2013;2.
75. SAFAVI MR, Honarmand A, SARYAZDI H. Preoperative oral dextromethorphan versus clonidine to prevent tourniquet-induced cardiovascular responses in orthopedic patients under general anesthesia. 2007;
76. Safavi M, Honarmand A, Yazdanpanah A. Adding metoclopramide to lidocaine for intravenous regional anesthesia in trauma patients. *Adv Biomed Res.* 2014;3.
77. Bagheri K, Honarmand A, Safavi M, Kashefi P, Sayadi L, Mohammadinia L. The evaluations of frequency distribution heparin resistance during coronary artery bypass graft. *Adv Biomed Res.* 2014;3.
78. SAFAVI MR, HONARMAND A. Prediction of difficult laryngoscopy in the patients undergone cesarean section. 2008;

79. Honarmand A, Safavi A, Hosseini B. The Cardiovascular Changes Induced by Inspired Oxygen Fraction in Patients Undergoing on-pump Coronary Artery Surgery. *Int Cardiovasc Res J.* 2009;2(1).
80. Honarmand A, Safavi M, Chegeni M, Hirmanpour A, Nazem M, Sarizdi SH. Prophylactic antiemetic effects of Midazolam, Ondansetron, and their combination after middle ear surgery. *J Res Pharm Pract.* 2016;5(1):16.
81. SAFAVI MR, HONARMAND A. DOES MICROALBUMINURIA PREDICT DURATION OF MECHANICAL VENTILATION IN CRITICAL ILL PATIENTS? 2007;
82. Safavi MR, Honarmand A. Comparison of effects of thiopental, propofol or ketamine on the cardiovascular responses of the oculocardiac reflex during strabismus surgery. 2007;
83. Safavi MR, Honarmand A. The Effects of Sufentanil or Remifentanil Pretreatment on Propofol Injection Pain. *J Maz Univ Med Sci.* 2007;17(59):35–41.
84. Hirmanpour A, Safavi M, Honarmand A, Hosseini AZ, Sepehrian M. The comparative study of intravenous Ondansetron and sub-hypnotic Propofol dose in control and treatment of intrathecal Sufentanil-induced pruritus in elective caesarean surgery. *J Res Pharm Pract.* 2015;4(2):57.
85. Safavi M, Honarmand A, Mohammadsadeqie S. Prophylactic use of intravenous ondansetron versus ketamine-midazolam combination for prevention of shivering during spinal anesthesia: A randomized double-blind placebo-controlled trial. *Adv Biomed Res.* 2015;4.
86. SAFAVI MR, GOUDARZI B. VALIDITY OF SNA AND SNB IN SAGITAL JAW ASSESSMENT. 2003;
87. Safavi MR, Honarmand A. The Comparison of Beclomethasone Inhaler and Intravenous Lidocaine in Prevention of Postoperative Airway and Throat Complaints. *J Adv Med Biomed Res.* 2007;15(61):11–20.
88. Safavi M, Honarmand A, Abbasi S, Moradi D. The Effect of Adding Ketamine to The Drugs for Induction of Anesthesia on the Cardiovascular Response to the Endotracheal Intubation. *J Rafsanjan Univ Med Sci.* 2009;8(2):89–98.
89. محمد رضا ص, عظیم ه. پیش بینی اندکس های گازهای خون شریانی گازهای خونی نرمه گوش در بالغین دچار نارسایی تنفسی تحت درمان با تنفس مکانیکی
90. SAFAVI MR, HONARMAND A. PREDICTION OF ARTERIAL BLOOD GAS VALUES FROM ARTERIALIZED EAR LOBE BLOOD GAS VALUES IN ADULT PATIENTS WITH ACUTE RESPIRATORY FAILURE TREATED BY MECHANICAL VENTILATION. 2006;
91. Safavi M, Honarmand A, Dasgerdi EG, Sharifi GM. The correlation between anthropometric indices and hemodynamic changes after laryngoscopy and endotracheal intubation. *Adv Biomed Res.* 2016;5.
92. Safavi M, Honarmand A, Rahmani-khah E, Badiei S, Attari M. Intrathecal Meperidine versus intrathecal Fentanyl for prevention of shivering in lower limb orthopedic surgeries under spinal anesthesia: A randomized double-blind placebo-controlled trial. *J Res Pharm Pract.* 2014;3(4):137.
93. SAFAVI MR, AGHA DO, HONARMAND A. The cardiovascular effects of inspired oxygen fraction in patients undergoing on-pump coronary artery surgery. 2008;
94. SAFAVI MR, NASERI A, ABBASPOUR Z. DIAGNOSTIC VALUE OF AF-BF & AT-BT IN SAGITAL JAW RELNTIONSHIP. 2001;
95. SAFAVI M, HONARMAND A. ADMISSION HYPMAGNESEMIA.

96. Honarmand A, Safavi M, Arani AS, Shokrani O. The efficacy of different doses of liquorice gargling for attenuating postoperative sore throat and cough after tracheal intubation. *Eur J Anaesthesiol EJA*. 2016;33(8):595–6.
97. Safavi M, Honarmand A, Khosravi F, Sariazdi H, Nazem M. The evaluation of effects two different doses of hydrocortisone on the intensity of perioperative shivering in elective surgery under spinal anesthesia: A double-blind randomized controlled trial study. *J Res Med Sci Off J Isfahan Univ Med Sci*. 2016;21.
98. SAFAVI MR, AGHA DO, SOLTANINEZHAD HA, HASHEMI SJ. EVALUATING THE EFFICACY OF SUBTENON BLOCK BEFORE BEGINNING THE REPAIR OF RETINAL DETACHMENT (HO). 2004;
99. HONARMAND A, SAFAVI MR, BAGHERI K, BADR KSF. The impact of hyperglycemia or hypoalbuminemia on duration and need to mechanical ventilation in critically ill patients. 2008;
100. Safavi M, Honarmand A, Barati B, Mahjobjipor H. The pre-emptive analgesic effect of peritonsillar infiltration of ketamine for postoperative pain relief in children following tonsillectomy. *Med J mashhad Univ Med Sci*. 2009;52(1):37–42.
101. Safavi MR, Honarmand A. Association of C-Reactive Protein and Body Mass Index with Duration of Mechanical Ventilation in Critically Ill Trauma Patients. *J Maz Univ Med Sci*. 2007;17(60):58–68.
102. Honarmand A, Aghadavoudi O, Safavi MR, Dehghani AR, Loghmanian L. Effects of Preoperative Sub-tenon Block on Intra-and Post-operative Complications in Retinal Detachment Surgery. *Bina J Ophthalmol*. 2006;11(4):464–9.
103. Safavi M, Honarmand A, Hirmanpour A, Zareian N. Acromio-axillo-suprasternal notch index: A new screening test to predict difficult laryngoscopy in obstetric patients scheduled for caesarean delivery. *Eur J Anaesthesiol EJA*. 2016;33(8):596–8.
104. Safavi M, Honarmand A, Ghaedi F. Preincisional analgesia with subcutaneous administration of tramadol reduces postoperative pain in patients after open urologic surgeries: A randomized, double-blind, placebo-controlled study. *Pakistan J Med Sci*. 2012;28(2).
105. HONARMAND A, SAFAVI MR. PREOPERATIVE ORAL DEXTROMETHORPHAN VERSUS CLONIDINE TO PREVENT Tourniquet-induced CARDIOVASCULAR RESPONSES IN ORTHOPEDIC PATIENTS UNDER GENERAL ANESTHESIA. 2007;
106. Honarmand A, Safavi M, Naghibi K, Attari M, Soltani M, Amoushahi M, et al. Preemptive peritonsillar infiltration with bupivacaine in combination with tramadol improves pediatric post-tonsillectomy pain better than using bupivacaine or tramadol alone: A randomized, placebo-controlled, double blind clinical trial. *Adv Biomed Res*. 2015;4.
107. Honarmand A, Safavi M, Salehi M, Mehdizadeh F. Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial. *Pakistan J Med Sci*. 2012;28(2).
108. Honarmand A, Safavi MR. Evaluating the efficacy of infection probability score, APACHE II and APACHE III in the determination of the need for mechanical ventilation and duration of it in patients with respiratory failure. *KAUMS J*. 2008;12(3):51–7.

109. Safavi M, Honarmand A, Khazaei M. The effects of propofol, ketamine and combination of them in prevention of coughing and laryngospasm in patients awakening from general anesthesia: a randomized, placebo-controlled, double blind clinical trial. *Adv Biomed Res.* 2016;5.
110. Safavi MR, Honarmand A. The effect of head flexion after endotracheal intubation on intraocular pressure, cardiovascular, and respiratory responses in patients undergoing cataract surgery. 2007;
111. Safavi M, Honarmand A, Kashefi P, Attari M, Heidari M, Habibzadeh M, et al. The Relationship of Anthropometric Indices and Hemodynamic Changes after Laryngoscopy. *J Isfahan Med Sch.* 2014;31(267):2182–92.
112. Honarmand A, Safavi MR, Sohrabi B. Evaluation of prophylactic injection of two doses of tramadol on heart rate and blood pressure changes compared with control group after laryngoscopy and intubation. *J Isfahan Med Sch.* 2016;34(385):629–36.
113. Honarmand A, Safavi MR, Mahmoudi F, Sohrabi B, Emami M, Masaeli D, et al. Evaluation of prophylactic injection of two doses of tramadol on the heart rate and blood pressure changes after laryngoscopy and tracheal intubation. *Arch Anesthesiol Crit Care.* 2016;2(4):243–8.
114. Honarmand A, Safavi M, Kashefi P, Hosseini B, Badiei S. Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric post-tonsillectomy pain: A double-blinded randomized placebo-controlled clinical trial. 2013;
115. Safavi M, Honarmand A, Mehrizi MK, Dastjerdi MS, Ardestani ME. Hypokalemia at the time of admission to the intensive care unit (iCU) increases the need for mechanical ventilation and time of ventilation in critically ill trauma patients. *Adv Biomed Res.* 2017;6(1):50.
116. Hirmanpour A, Talakoub R, Safavi M, Honarmand A, Shafa A, Emamdoost K. Comparing the injection pain of propofol emulsion 1%(MCT/LCT) and propofol emulsion 2%(Propofol Lipuro) in combination with lidocaine in patients undergoing gynecologic surgery with general anesthesia. *Arch Anesthesiol Crit Care.* 2017;3(3):342–7.
117. Sahebzamani M, Saghiri S, Safavi M, Alavi Majd H. Relationship Between Body Dysmorphic Disorder and Obsessive-Compulsive Disorder in Students of Tehran Universities of Medical Sciences:(A Short Report). *J Rafsanjan Univ Med Sci.* 2012;11(5):495–502.
118. Honarmand A, Safavi M, Kiani N, Kiani N, Keshavarzi E. Comparative evaluation of the effects of different doses of labetalol on cardiovascular response to tracheal intubation. *J Isfahan Med Sch.* 2016;34(393):893–900.
119. Honarmand A, Safavi MR, Mansorian S. Evaluating the prophylactic effect of magnesium sulfate and combination of midazolam and ketamine for prevention of shivering during regional anaesthesia. *J Isfahan Med Sch.* 2016;34(399):1097–105.
120. Honarmand A, Savavi M, Mirjalali K. The effect of labetalol or remifentanil on blood pressure and heart rate after laryngoscopy and intubation. *J Isfahan Med Sch.* 2016;34(408):1395–400.
121. Safavi M, Honarmand A, Hajimohammady R. Comparison of the effects of remifentanyl-propofol and remifentasnyl-isoflurane on hemodynamic variables, blood gases, and blood glucose among patients under general anesthesia. *J Isfahan Med Sch.* 2017;35(421):193–9.

122. Hirmanpour A, Safavi M, Honarmand A, Yazdi SHH, Pourreza A. Ondansetron and Metoclopramide Can Prevent Intrathecal Sufentanil-Induced Pruritus. *Arch Anesthesiol Crit Care.* 2018;4(1):409–16.
123. Safavi M, Honarmand A, Foodeh T, Nourian SMA, Nazem M, Moradi D, et al. Journal of Anesthesia and Surgery.
124. Safavi M, Honarmand A, Zolfaghari S. Comparing the effect of sodium thiopental, magnesium sulfate, midazolam, prime etomidate, and remifentanil on myoclonus incidence and pain induced by anesthesia with etomidate. *J Isfahan Med Sch.* 2017;35(453):1515–20.
125. Honarmand A, Safavi M, Daftarifard N, Rahmanikhah E. Evaluating the effect of various doses of magnesium sulfate on cardiovascular changing and stimulating due to laryngoscopes and intubation. *J Isfahan Med Sch.* 2015;33(337):827–34.
126. Honarmand A, Safavi M, Hashemzadeh M. The effect of using topical lidocaine on blade and cuff of laryngoscope, and tracheal mucosa on changes of heart rate and blood pressure during laryngoscopy and intubation. *J Isfahan Med Sch.* 2017;35(446):1203–9.
127. Safavi M, Honarmand A, Barzegar M. Comparison study of preemptive effect of intratechal fentanyl with intravenous ondansetron, dexamethasone, and dexamethasone plus ondansetron on shivering during surgeries under spinal anesthesia with bupivacaine. *J Isfahan Med Sch.* 2017;35(452):1476–82.
128. Bagheri K, Safavi MR, Moheb-Mohammadi F. Comparing the hemodynamic changes during and after coronary artery bypass graft surgery under general anesthesia with propofol and isoflurane. *J Isfahan Med Sch.* 2015;33(342):1086–94.
129. Honarmand A, Safavi M, Hirmanpour A, Afzali S. The effect of intravenous hydrocortisone (1 or 2 mg/kg) on postoperative shivering in cesarean section with spinal anesthesia. *J Isfahan Med Sch.* 2017;35(438):821–7.
130. Honarmand A, Safavi M. Beclomethasone inhaler versus intravenous lidocaine in the prevention of postoperative airway and throat complaints: a randomized, controlled trial. *Ann Saudi Med.* 2008;28(1):11–6.
131. Hirmanpour A, Safavi M, Honarmand A, Naghshineh E, Eskandari S, Eskandari S, et al. Journal of Anesthesia and Surgery.
132. Safavi M, Honarmand A, Hirmanpour A, Sheikhani Q, Jalali H. Acromio-axillo-suprasternal notch index: A new screening test to predict difficult laryngoscopy in general population. *J Anesth Surg.* 2016;3(2):0.
133. HONARMAND A, SAFAVI MR. MAGNESIUM SULFATE PRETREATMENT TO ALLEVIATE PAIN ON PROPOFOL INJECTION: A COMPARISON WITH KETAMINE OR LIDOCAINE. 2007;
134. Samadi N, Safavi M, Mahmoodi M. The relationship between quality of life and self-esteem in patients with Type 2 diabetes in Ardabil 2011: a short report. *J Rafsanjan Univ Med Sci.* 2013;12(3):251–6.
135. Kheirabadi D, Safavi MR, Taghvaei M, Habibzadeh MR, Honarmand A. Comparing the prophylactic effects of oral gabapentin, pregabalin, and celecoxib on postoperative pain management in orthopedic surgery of the lower extremity: a double-blind randomized controlled trial. *J Res Med Sci Off J Isfahan Univ Med Sci.* 2020;25.
136. Honarmand A, Mirsatari SA, Zarezadeh A, Safavi M, Kheirabadi D. Anaesthetic Management of a Known Case of Werner Syndrome by Peripheral Nerve Block in the Orthopaedic Surgery of Forearm. *Turkish J Anaesthesiol Reanim.* 2020;48(3):251.

137. Karimi P, Amidpour M, Safavi MR. A comparative investigation on flare gas reduction methods of Tehran Oil Refinery. In: Chemeca 2014: Processing excellence; Powering our future: Processing excellence; Powering our future. Engineers Australia Barton, ACT; 2014. p. 1328–37.
138. Karimi P, Amidpour M, Safavi MR. Energy loss reduction through flare gas recovery of Asalooye gas refinery. In: Chemeca 2014: Processing excellence; Powering our future: Processing excellence; Powering our future. Engineers Australia Barton, ACT; 2014. p. 37–45.
139. Baniasadi M, Naseri A, Safavi M. Collection of data for Preparing Identification book of Kerman watersheeds (1994 – 1998). 2008;
140. Honarmand A, Taghvaei M, Yaraghi A, Safavi M. A Comparative Study of Predicting Difficult Intubation by Six Indexes of Thyromental Height (TMH), Acromioaxillary-Suprasternal Notch Index (AASI), Modified Mallampati Test (MMT), Upper Lip Biting Test (ULBT), Height to Thyromental Distance Ratio (RHTMD). *J Isfahan Med Sch*. 2019;37(517):169–75.
141. Safavi M, Honarmand A, Shafa A, Choopannejad F. Comparison of the Performance of Acromioaxillosuprasternal Notch Index with Old Method of Anatomical Measurement of Head and Neck in Predicting Laryngoscopy Forecasting Problems in Pediatrics Surgical Procedures Requiring Tracheal Intubation under General. *J Isfahan Med Sch*. 2019;37(514):66–72.
142. Safavi M, Honarmand A, Hosseni F. Comparison of the effect of dexamethasone, midazolam, and ondansetron injection alone, or in combination, and placebo on the severity of shivering during and after spinal anesthesia in orthopedic operations of the lower limb. *J Isfahan Med Sch*. 2019;37(518):182–9.
143. هرمند، آقاداودی، امید، صفوی، دهقانی، لقمانیان. تاثیر بلوک سایپتون قبیل از جراحی ترمیم چداشگی شبکیه بر کاهش عوارض حین و بعد از عمل. *مجله چشمپرشکی بینا*. ۹۴؛۱۱(۴):۲۰۰۶.
144. Safavi MR, Geramy A, Khezri AK. M/F ratios of four different closing loops: 3D analysis using the finite element method (FEM). *Aust Orthod J*. 2006;22(2):121–6.
145. Bagheban AA, Nouri M, Safavi M. Assessment of agreement in measuring orthodontic treatment need with the modified DHC. *Aust Orthod J*. 2008;24(1):10–4.
146. Banabilh S, Rajion Z, Samsudin R, Singh GD, Lim D, Beitzel F, et al. *Orthodontic Journal*. *Aust Orthod J*. 2006;22(2).
147. Miles PG, Lovatt R, Goonewardene M, Tennant M, Bagheban AA, Nouri M, et al. *Orthodontic Journal*. *Aust Orthod J*. 2008;24(1).
148. Safavi MR, Honarmand A, Shabanian A, Asadi S. A Comparison on the Preventive Effect of 100 mg and 200 mg Oral Celecoxib on Shivering during and after Orthopedic Lower Extremity Surgery under the Spinal Anesthesia; A Randomized Controlled Clinical Trial Study. *J Isfahan Med Sch*. 2020;38(564):67–73.
149. Rafati M, Shiva A, Ahmadi A, Habibi O. *Journal of Research in Pharmacy Practice*. *J Res*. 2014;3(2):62.
150. Kheirabadi D, Ardekani MS, Honarmand A, Safavi MR, Salmasi E. Comparison prophylactic effects of gargling different doses of ketamine on attenuating postoperative sore throat: A single-blind randomized controlled trial. *Int J Prev Med*. 2021;12.
151. ABTAHI M, SAFAVI M, HASHEMI M. ROLE OF ANTIBIOTIC THERAPY IN CHRONIC OTITIS MEDIA SURGERY. 2001;

152. Kamran M, Mohammadali V, Azim H, Parviz K, Mohammadreza S, Shahram T, et al. Short-Time Intermittent Preexposure of Living Human Donors to Hyperoxia Improves Renal Function in Early Posttransplant Period: A Double-Blind Randomized Clinical Trial. *J Transplant*. 2011.
153. Mohammadreza S, Azim H. Admission hypomagnesemia-impact on mortality or morbidity in critically ill patients. 2007;
154. Mohammadreza S, Azim H, Narges Z. < A> comparison of the ratio of patient's height to thyromental distance with the modified Mallampati and the upper lip bite test in predicting difficult laryngoscopy. 2011;
155. Mohammadreza S, Azim H, Mohammadali A, Shirin C, Mahsa A. < An> evaluation of the efficacy of different doses of ketamine for treatment of catheter-related bladder discomfort in patients underwent urologic surgery: a prospective, randomized, placebo-controlled, double-blind study. 2014;
156. Saeid A, Mohammadhossein K, Mohammadreza S, Azim H, Afshin S. Effects of intraoperative-intrathecal sufentanil injection on postoperative pain management after single level lumbar discectomy. 2010;
157. Azim H, Mohammadreza S. Beclomethasone inhaler versus intravenous lidocaine in the prevention of postoperative airway and throat complaints: a randomized, controlled trial. 2008;
158. Mohammadreza S, Azim H. Attenuation of cardiovascular responses to laryngoscopy and tracheal intubation-intravenous sufentanil vs pethidine. 2008;
159. Alireza AB, Golamreza B, Anooshiravan K, Soghrat F, Mohammadreza S, Mahtab N, et al. Assessing validity of dentists evaluations in measuring Index of Orthodontic Treatment Need using modeling agreement. 2005;
160. Safavi M, Taghinezhad F, Aghaeinejad A, Taghinezhad Y, Shiekhi A. همبستگی رضایت شغلی و درک از عدالت رویه ای با تهدید سازمانی پرستاران بالینی
161. Azizkhani R, Kouhestani S, Heydari F, Esmailian M, Feizi A, Gourtani BK, et al. Comparison of the effects of dexmedetomidine and propofol in reducing recovery agitation in pediatric patients after ketamine procedural sedation in emergency department. *J Res Med Sci Off J Isfahan Univ Med Sci*. 2021;26.
162. Safavi MR, Nouri M, Eslamian L, Kazemnejad A, Faghizadeh S. Modified index of orthodontic treatment needs (IOTN) assessment by senior dental students. *J Iran Dent Assoc*. 2007;19(3):54–9.
163. Honarmand A, Safavi MR. Association between admission hypomagnesemia mortality or mortality of critically ill patients in intensive care unit. *Hormozgan Med J*. 2008;12(3):151–60.
164. Safavi M, Mahjobjipor H, Honarmand A. Education and Treatment Guideline for Evaluation of Applying Basic Standards of Anesthesia Care in Surgery. *Iran J Med Educ*. 2011;10(4).
165. Safavi M, Honarmand A. Alteraciones hidroelectrolíticas: sodio y agua. In: *Cuidados críticos: protocolos*. Marbán Libros; 2013. p. 817–23.
166. Safavi M, Honarmand A. Alteraciones hidroelectrolíticas: fósforo. In: *Cuidados críticos: protocolos*. Marbán Libros; 2013. p. 846–50.
167. Safavi M, Honarmand A. Alteraciones hidroelectrolíticas: cloro. In: *Cuidados críticos: protocolos*. Marbán Libros; 2013. p. 851.

168. Safavi M, Honarmand A. Alteraciones hidroelectrolíticas: magnesio. In: Cuidados críticos: protocolos. Marbán Libros; 2013. p. 840–5.
169. Safavi M, Honarmand A. Alteraciones hidroelectrolíticas: potasio. In: Cuidados críticos: protocolos. Marbán Libros; 2013. p. 824–31.
170. Safavi M, Honarmand A, Yaghini F. The preemptive effect of magnesium sulfate gargle, ketamine gargle or dexamethasone intravenous injection on sore throat following surgery in patients undergoing surgery with general anesthesia. *J Isfahan Med Sch*. 2018;36(497):1122–8.
171. Honarmand A, Safavi M, Zare S. Preventive effect of different doses of tramadol on postoperative shivering during and after lower limb orthopedic surgery under spinal anesthesia as compared to control group. *J Isfahan Med Sch*. 2018;36(489):865–71.
172. Nazemroaya B, Safavi M, Honarmand A, Nourbakhsh M. The Effect of Adding Dexmedetomidine on Change in Heart Rate and Blood Pressure After Induction of Anesthesia with Thiopental Sodium in Electroconvulsive Therapy; A Randomized Clinical Trial Study. *J Isfahan Med Sch*. 2020;38(579):401–7.
173. Safavi M, Honarmand A, Negahban M, Attari M. Journal of Research in Pharmacy Practice. *J Res*. 2014;3(3):94.
174. Baghban AA, Babei G, Kazemnejad A, Faghihzadeh S, Safavi M, Nouri M, et al. Evaluation of the effect of brushing with pumice on pit and fissure sealant retention. *J Dent Sch-Shahid Beheshti Univ Med Sci*. 2005;23(3):395–403.
175. Baghban AA, Babei G, Kazemnejad A, Faghihzadeh S, Safavi M, Nouri M, et al. Assessing validity of dentists evaluations in measuring Index of Orthodontic Treatment Need using modeling agreement. *J Dent Sch Beheshti Univ Med Sci*. 2005;23(3):379–85.
176. Honarmand A, Safavi M. C-reaktif protein ve vücut kitle indeksi kritik travma hastalarındaki mekanik ventilasyon süresini öngörebilir mi? 2008;
177. Honarmand A, Safavi M, Moradi D. Mekanik ventilasyon gereksinimi ve süresinin öngörülmesinde enfeksiyon olasılığı skoru ve ardışık organ yetersizliği değerlendirme skoru sistemlerinin kullanılması. 2009;
178. Honarmand A, Safavi M, Fatemi A. Travma hastalarında intravenöz reyjonal anestezi için lidokaine eklenmesi durumunda üç farklı nitrogliserin dozunun analjezik etkisi. 2011;
179. Honarmand A, Safavi M, Bagheri K, Momayez A. Kritik travma hastalarında mikroalbüminürü ile mekanik ventilasyon süresinin ilişkisi. *Ulus Travma ve Acil Cerrahi Derg*. 2009;15(1):12–8.
180. Honarmand A, Safavi M. Yeni yaralanma şiddeti ölçü: Yaralanma şiddeti ölçeginde göre travma hastalarında vantilatör gereksinimi ve ventilasyon zamanına ilişkin daha kesin bir öngörü. *Ulus Travma ve Acil Cerrahi Derg*. 2008;14(2):110–7.
181. Safavi M, Honarmand A. Kritik hastalarda, başvurudaki hiperglisemi veya hipoalbümineminin vantilatör gereksinimi, ventilasyon süresi, mortalite ve morbidite üzerine etkileri. 2009;
182. Bagheri K, Safavi M. Investigating the relationship between intraoperative electrolyte abnormalities (sodium and potassium) with postoperative complications of coronary artery bypass surgery (CABG). 2015;

C:Books:

Guidados Criticos

Publisher: Marban. 2011; (Compilation) in Spanish)

Authors: Dr MR Safavi Dr Azim Honarmand

THESES SUPERVISION

- 2011 - To study the prophylactic effect of Dexamethasone ,Ketamine gargle ,and Dexamethasone with ketamine gargle in reducing postoperative sore throat
Supervisors: دکتر عظیم هنرمند - دکتر سید محمد رضا صفوی(me as Supervisor)
Place: kashani hospital
- 2011 - The effect of different intrathecal pethidine on the incidence of shivering after orthopedic surgery
Supervisors: دکتر سید محمد رضا صفوی - دکتر عظیم هنرمند(me as Supervisor)
Place: بیمارستان کاشانی، دانشگاه علوم پزشکی اصفهان
- 2011 - بررسی مقایسه ای تاثیر انفوزیون سه دوز اضافی پروپوفول بروضیعت لوله گذاری تراشه و عروقی بعد از آن -تغییرات قلبی
Supervisors: آقای دکتر عظیم هنرمند - دکتر سید محمدرضا صفوی(me as Supervisor)
Place: kashani hospital
- 2011 - بررسی مقایسه ای اسکور ملامپتی در حال اکستانسیون با تست گاز گرفتن لب فوکانی' نسبت قد به فاصله تیرومتوال و طبقه بندی تغییریافته ملامپتی برای پیش بینی لوله گذاری مشکل در بیماران تحت بیهوشی عمومی
Supervisors: Dr azim honarmand Dr MR safavi (me as Supervisor)
Place: kashani hospital
- 2009 - میلی گرم به 30 و 20 و 10(بررسی مقایسه ای میزان تأثیر دوزهای متفاوت سولفات منیزیم در یک کارآزمایی بالینی، ECT بر فشار خون و ضربان قلب بعد از (ازای هر کیلوگرم تصادفی شده ی دوسویه کور با کنترل پلاسیو آقای دکتر سید : آقای دکتر عظیم هنرمند ، مجری دوم : مجری اصلی
Supervisors: آقای دکتر مهرداد صالحی: محمدرضا صفوی همامی (me as Supervisor)
- 2009 - کتامین بر درد و -کتامین و دگزامتازن -بررسی مقایسه ای تاثیر بین داروهای دگزامتازن عوارض پس از اندوتونسیلکتومی اطفال
Place: alzahra hospital
- 2009 - +کتامین، کتامین +بررسی مقایسه ای تأثیر پره امپتیو مولتی مودال سه ترکیب فنتانیل میدازولام بر روی درد بعد از عمل جراحی ارتوپدی اندام تحتانی تحت +میدازولام، و فنتانیل بی حسی اسپینال

Curriculum Vitae

Mohammad Reza Safavi
Address
Telephone +09133152416

Email safavi@med.mui.ac.ir

Academic Qualifications

Most recent

Date, Degree,	Professor of anesthesia and ICU and pain management
University/School,	Isfahan University of Medical Sciences

Professional Profile

Employment History – General

2010

Employer: Isfahan University of Medical Sciences
Position: Associate Professor

2004

Employer: Isfahan University of Medical Sciences
Position: Assistant Professor

2016

Professor of anesthesiaia

