

Curriculum Vitae

Name: Fariba Iraj

Professor of Dermatologist, Isfahan University of Medical Sciences, Isfahan, Iran.



Address: Alzahra Hospital

Phone - Email: 03138222563 – iraji@med.mui.ac.ir

ORCID ID : 0000-0002-0206-0352

PERSONAL INFORMATION

Date of Birth: June 13, 1962

Nationality: Iranian

Gender: female

EDUCATION

1983 – 1987: General practitioner

1988 – 1993: Specialty in Dermatology

2000 – 2001: Pediatric dermatology fellowship

GRANTS AND FELLOWSHIPS

Date, Name, Significant info., Amount

RESEARCH EXPERIENCE

<https://scholar.google.com/citations?user=1UBMSQYAAAAJ&hl=en>

TEACHING EXPERIENCE

1993 – present: department of dermatology, Isfahan University of medical sciences, Isfahan, Iran.

RELEVANT WORK EXPERIENCE

UNIVERSITY SERVICE

Dates, University/organization, Description

PUBLICATIONS

1. Malayeri AR, Salimi A, Iraj F, Sabbagh S, Shakerian N, Khaledi M. Investigating the effect of a herbal cream containing rose essence in an animal model of eczema. *Avicenna J Phytomedicine*. 2025;15(2):1070.
2. Iraj F, Mousavi MS, Siadat AH. Comparative Study of Effectiveness of Topical Betamethasone Alone, Topical Betamethasone Plus Cryotherapy and Topical Betamethasone Plus Cryotherapy Plus Oral Desloratadine in the Treatment of Alopecia Areata: A Randomized Controlled Trial. *Iran J Dermatology*. 2024;27(4).
3. Iraj F, Mousavi MS, Siadat A. Comparative study on the effectiveness of topical betamethasone alone, combined with cryotherapy, and enhanced with oral desloratadine in the treatment of alopecia areata: a randomized controlled trial. *Iran J Dermatology*. 2024;27(4):234–44.
4. Asilian A, Abedini M, Iraj F, Jahanshahi A. Comparing the efficacy of oral isotretinoin alone and in combination with desloratadine in treating moderate to severe acne vulgaris: a randomized clinical trial. *Iran J Dermatology*. 2024;27(3):153–9.
5. Asilian A, Iraj F, Hosseini SM, Dehkordi PM. Comparison of Telogen Effluvium Incidence in Hospitalized and Outpatient Settings after Recovery from COVID-19. *Iran J Med Sci*. 2024;49(2):134.
6. Iraj F, Siadat A, Mokhtari F, Hosseini SM, Karami S, Seyedyousefi S. Comparison of the Therapeutic Effect of the Combination Regimen of Oral Melatonin and Topical Betamethasone with Topical Betamethasone Alone in the Treatment of Atopic Dermatitis: A Randomized Clinical Trial. *J Isfahan Med Sch*. 2024;42(782):774–82.
7. Mokhtari F, Yazdanpanah M, Iraj F, Asilian A, Siadat A, Tavakolifard N. Evaluation and comparison of Q-switched Nd: YAG laser 1064 nm and Er: YAG laser 2940 nm in the treatment of macular amyloidosis. *Lasers Med Sci*. 2024;39(1):22.
8. Maryam Aghaei Shahrzad Aghaei FIMANSMHZSSH. *Helicobacter pylori* seropositivity in Iranian patients with vitiligo: a case-control study. *Iran J Dermatology*. 2024;27(1):7.
9. Aghaei M, Aghaei S, Iraj F, Nilforoushzadeh MA, Hosseini SM, Shahmoradi Z, et al. *Helicobacter pylori* seropositivity in Iranian patients with vitiligo: a case-control study. *Iran J Dermatology*. 2024;27(1):6–12.
10. Iraj F, Siadat AH, Mokhtari F, Hosseini M, Fatahinasab M. Impact of microneedling on reducing

perioral wrinkles. *Feyz Med Sci J.* 2024;28(1):42–7.

11. Iraj F, Seyedyousefi S, Heidari A. Serum vitamins and trace elements in vitiligo patients: A systematic review and meta-analysis of observational studies. *JEADV Clin Pract.* 2024;3(5):1430–46.
12. Sadatmadani SF, Siadat AH, Iraj F, Alsahebhosoul F. Antidepressants and the Risk of Psoriasis Induction: A Case–Control Study. *Adv Biomed Res.* 2023;12(1):16.
13. Aghaei M, Aghaei S, Behshadnia F, Ghomashlooyan M, Khaghani A, Baradaran EH, et al. Association between the Treatment of rosacea and eradication of *Helicobacter pylori* infection. *Adv Biomed Res.* 2023;12(1):173.
14. Aghaei M, Aghaei S, Nilforoushzadeh MA, Abdellahi L, Naeini FF, Iraj F, et al. Chlamydia pneumoniae seropositivity in the Iranian patients with the skin inflammatory disorder of rosacea. *Adv Biomed Res.* 2023;12(1):72.
15. Siadat A, Moeine R, Iraj F, Faghihi G, Hosseini SM. Evaluating the efficacy of microneedling technique in treating striae alba lesions. *Arch Dermatol Res.* 2023;315(7):2075–8.
16. Mokhtari F, Zavare Z, Iraj F. Topical 5% minoxidil versus combined erbium YAG laser and topical 5% minoxidil in androgenetic alopecia: A randomized controlled trial. *J Cosmet Dermatol.* 2023;22(10):2737–43.
17. Siadat A, Galehdari H, Shahmoradi Z, Iraj F, Zolfaghari A, Ansari N. Treatment of Cutaneous Leishmaniasis with Intense Pulsed Light: Is it Effective? *Adv Biomed Res.* 2023;12(1):125.
18. Asilian A, Iraj F, Khalilian S, Shahmoradi Z, Saber M. Value of adding betamethasone pulse therapy to methotrexate in treating patients with psoriasis. *Iran J Dermatology.* 2023;26(4):193–8.
19. Faghihi G, Iraj F, Siadat AH, Saber M, Jelvan M, Hoseyni MS. Comparison between “5% minoxidil plus 2% flutamide” solution vs. “5% minoxidil” solution in the treatment of androgenetic alopecia. *J Cosmet Dermatol.* 2022;21(10):4447–53.
20. Iraj F, Aghaei A, Motamedi R, Siahpoosh A, Karami MA. Comparison of topical herbal cream and 1% clindamycin gel for treatment of mild-to-moderate acne: A randomized clinical trial. *Jundishapur J Nat Pharm Prod.* 2022;17(3):e114810.
21. Iraj F, Mokhtari F, Zolfaghari A, Aghaei M, Ostadsharif N, Sami N, et al. Demographic characteristics of the patients with cutaneous vasculitis due to COVID-19 infection. *Indian J Dermatol.* 2022;67(4):478.
22. Iraj F, Makhmalzadeh BS, Abedini M, Aghaei A, Siahpoush A. Effect of herbal cream containing *Fumaria officinalis* and silymarin for treatment of eczema: A randomized double-blind controlled clinical trial. *Avicenna J Phytomedicine.* 2022;12(2):155.
23. Mokhtari F, Bahrami B, Faghihi G, Asilian A, Iraj F. Fractional erbium: YAG laser (2940 nm) plus topical hydroquinone compared to intradermal tranexamic acid plus topical hydroquinone for the treatment of refractory melasma: a randomized controlled trial. *J Dermatolog Treat.* 2022;33(5):2475–81.
24. Iraj F, Jelvan M, Ganjei Z, Rajabi P. Multiple Disseminated Pyogenic Granuloma Post-Oil Burning:

A Review of Literature. *Indian J Dermatol.* 2022;67(6):836.

25. Iraj F, Mohaghegh F, Shajari A, Rajabi P, Mozafarpour S. Mycosis fungoides presenting as hypopigmented and pigmented purpuric dermatosis-like lesions in a girl: a case report and literature review. *Iran J Dermatology.* 2022;25(2):169–72.
26. Siadat AH, Moeine R, Iraj F, Galehdari H, Shahriarirad R. Pemphigus vegetans misdiagnosed as condylomata acuminata: A case report. *Clin case reports.* 2022;10(10):e6393.
27. Asilian A, Iraj F, Fatemi Naeini F, Faghihi G, Mokhtari F, Mohaghegh F, et al. Purpura and Microvascular Occlusion. *Atlas Dermatology, Dermatopathol Venereol Inflamm Dermatoses.* 2022;421–37.
28. Iraj F, Mousavi A, Poostiyan N, Saber M. Q-switched frequency-doubled Nd: YAG (532 nm) laser versus trichloroacetic acid 35\% peeling in the treatment of dorsal hand solar lentigo: An assessor-blind split-hand randomized controlled trial. *J Cosmet Dermatol.* 2022;21(12):6776–82.
29. Asilian A, Iraj F, Shahmoradi Z, Naeini FF, Faghihi G, Mohaghegh F, et al. Urticaria and Mastocytosis. *Atlas Dermatology, Dermatopathol Venereol Inflamm Dermatoses.* 2022;87–103.
30. Iraj F, Asilian A, Faghihi G, Akbari A. Comparison of the skin lesions in patients with coronary artery disease at the time of admission in coronary care unit (CCU) and at discharge. *Med J Tabriz Univ Med Sci.* 2021;43(1):41–7.
31. Faghihi G, Iraj F, Sadat Hoseyni M, Saber M, Jelvan M. Comparison of the therapeutic effects of Minoxidil 5\% solution alone with Flutamide 2\% and Minoxidil 5\% mixed solution in patients with androgenetic alopecia referring to dermatology clinic of Isfahan university of medical sciences. *Med J mashhad Univ Med Sci.* 2021;64(2):2743–52.
32. Iraj F, Galehdari H, Siadat AH, Bokaei Jazi S. Cutaneous leukocytoclastic vasculitis secondary to COVID-19 infection: a case report. *Clin Case Reports.* 2021;9(2):830–4.
33. Asilian A, Kazemipour S, Mokhtari F, Iraj F, Shahmoradi Z, Mohaghegh F, et al. Effectiveness of dermabrasion plus 5-fluorouracil vs suction blister in treating vitiligo: A comparative study. *Dermatol Ther.* 2021;34(2):e14750.
34. Siadat AH, Iraj F, Zolfaghari A, Shariat S, Jazi SB. Heat therapy for cutaneous leishmaniasis: a literature review. *J Res Med Sci.* 2021;26(1):15.
35. Asilian A, Safaei H, Iraj F, Naeini FF, Faghihi G, Mokhtari F. Interventions for bullous pemphigoid: An updated systematic review of randomized clinical trials. *Med J Islam Repub Iran.* 2021;35:111.
36. Faghihi G, Nabavinejad S, Mokhtari F, Fatemi Naeini F, Iraj F. Microneedling in androgenetic alopecia; comparing two different depths of microneedles. *J Cosmet Dermatol.* 2021;20(4):1241–7.
37. Iraj F, Asilian A, Talebzadeh Z, Saber M, Mokhtari F, Siadat A, et al. Microneedling in combination with topical pimecrolimus 1\% versus topical pimecrolimus 1\% for the treatment of refractory stable vitiligo: a randomized clinical trial. *Dermatol Res Pract.* 2021;2021(1):5652140.
38. Iraj F, Jelvan M, Ganjei Z, Rajabi P. Multiple disseminated pyogenic granuloma post--oil burning—Review literature. *Clin Case Reports.* 2021;9(1):169–72.
39. Asilian A, Amiri A, Mokhtari F, Faghihi G, Iraj F, Mozafarpour S. Platelet-rich plasma versus

carboxytherapy for the treatment of periocular hyperpigmentation; which approach is superior? *Dermatol Ther.* 2021;34(4):e14980.

40. Iraj F, Asilian A, Talebzadeh Z, Saber M, Mokhtari F, Siadat A, et al. Research Article Microneedling in Combination with Topical Pimecrolimus 1\% versus Topical Pimecrolimus 1\% for the Treatment of Refractory Stable Vitiligo: A Randomized Clinical Trial. 2021;
41. Parastegari A, Mazaheri M, Iraj F, Tavakolikia R, Babaeian M. The efficiency of florabile syrup on intensity of psoriasis rashes. 2021;
42. Abdellahi L, Iraj F, Mahmoudabadi A, Hejazi SH. Vaccination in leishmaniasis: A review article. *Iran Biomed J.* 2021;26(1):1.
43. Iraj F, Asilian A, Heidari A, Shariat S, Bokaie Jazi S, Siadat AH. Combination of continuous wave CO2 laser and topical application of trichloroacetic acid 50\% vs CO2 laser alone the treatment of cutaneous leishmaniasis (A case series of 6 patients). *J Cosmet Dermatol.* 2020;19(6):1367–70.
44. Shatalebi MA, Bokaie Jazi S, Yegdaneh A, Iraj F, Siadat AH, Noorshargh P. Comparative evaluation of Gracilaria algae 3\% cream vs Clobetasol 0.05\% cream in treatment of plaque type psoriasis: a randomized, split-body, triple-blinded clinical trial. *Dermatol Ther.* 2020;33(6):e14317.
45. Iraj F, Ganjei Z, Kazemipour S. Cutaneous horn: A rare subtype of juvenile xanthogranuloma. *Clin Case Reports.* 2020;8(1):65–7.
46. Karimifar M, Mousavi H, Safaei A, Hajhashemi A, Farajzadegan Z, Iraj F. Incidence of psoriasis in patients with active systemic lupus erythematosus. *J Prev Epidemiol.* 2020;5(1):e07--e07.
47. Moslehi M, Namdar F, Esmailifallah M, Iraj F, Vakili B, Sokhanvari F, et al. Study of therapeutic effect of different concentrations of imatinib on Balb/c model of cutaneous leishmaniasis. *Aims Microbiol.* 2020;6(2):152.
48. Siadat AH, Rahmani S, Iraj F, Asilian A, Hosseini SM, Nilfroushzadeh MA. The efficacy of IPL and ammonium lactate 14\% versus ammonium lactate alone in the treatment of keratosis pilaris. *Iran J Dermatology.* 2020;23(2):72–5.
49. Iraj F, Danesh F, Faghihi G, Siadat A, Mokhtari F, Talakoob M, et al. Comparison between the efficacy of intralesional rituximab versus intralesional triamcinolone in the treatment refractory pemphigus vulgaris lesions: a randomized clinical trial. *Int Immunopharmacol.* 2019;73:94–7.
50. Iraj F, Nasimi M, Asilian A, Faghihi G, Mozafarpour S, Hafezi H. Efficacy of mesotherapy with tranexamic acid and ascorbic acid with and without glutathione in treatment of melasma: A split face comparative trial. *J Cosmet Dermatol.* 2019;18(5):1416–21.
51. Mokhtari F, Iraj F, Radfar S, Asilian A, Faghihi G, Hosseini SM. Epidemiological survey of the patients with bullous pemphigoid hospitalized in Alzahra Hospital, Isfahan, Iran, during the years 2006-2015. *J Isfahan Med Sch.* 2019;36(507):1491–7.
52. Moslehi M, Namdar F, Esmailifallah M, Hejazi SH, Sokhanvari F, Siadat AH, et al. Evaluation of Different Concentrations of Imatinib on the Viability of Leishmania major: An: In Vitro: Study. *Adv Biomed Res.* 2019;8(1):61.
53. Iraj F, Ganjei Z, Jelvan M, Siadat AH, Asilian A. Juvenile xanthogranuloma mimicking molluscum contagiosum: a case report and literature review. *Eur J Pediatr Dermatology.* 2019;29(1).

54. Iraj F, Ganjei Z, Jelvan M, Siadat H, Asilian A. Lo xantogranuloma giovanile può mimare il mollusco contagioso. *Eur J Pediatr Dermatol*. 2019;29(1):16–9.
55. Firooz A, Akhlaghi A, Golbidi P, Pourjafari M, Abdollahimajd F, Azimi H, et al. Real life management of chronic urticaria: Multicenter and cross sectional study on patients and dermatologists in Iran. *Dermatol Ther*. 2019;32(2):e12796.
56. Mokhtari F, Shajari A, Iraj F, Faghihi G, Siadat AH, Sadeghian G, et al. The effectiveness of adapalene 0.1\% with intense pulsed light versus benzoyl peroxide 5\% with intense pulsed light in the treatment of acne vulgaris: A comparative study. *J Res Med Sci*. 2019;24(1):101.
57. Iraj F, Shahbazi M, Abtahi-Naeini B, Asilian A, Shahmoradi Z, Bostakian A, et al. A rare case of branchio-oculo-facial syndrome: clinical and histopathological features. *Adv Biomed Res*. 2018;7(1):145.
58. Iraj F, Jafari P, Aghaei M, Faghihi G, Shahmoradi Z, Siadat AH, et al. Association between spectrophotometric assayed of glucose 6 phosphate dehydrogenase (G6pd) enzyme and vitiligo. *J Knowl Heal Basic Med Sci*. 2018;13(2):22–8.
59. Iraj F, Poostiyan N, Dehnavi PR, Soghrati M. Langerhans cell histiocytosis: a case report with unusual cutaneous manifestation. *Adv Biomed Res*. 2018;7(1):102.
60. Mokhtari F, Bostakian A, Shahmoradi Z, Jafari-Koshki T, Iraj F, Faghihi G, et al. Potential emerging treatment in vitiligo using Er: YAG in combination with 5 FU and clobetasol. *J Cosmet Dermatol*. 2018;17(2):165–70.
61. Iraj F, Jafari P, Aghaei M, Faghihi G, Shahmoradi Z, Siadat AH, et al. بررسی رابطه سطح آنزیم گلوکز شش فسفات دهیدروژناز به روش اسپکتروفوتومتري با بیماری ویتیلیگو. مجله دانش و تندرستی در علوم پایه پزشکی. ۲۰۱۸; ۲۲: ۸–۲۲.
62. Iraj F, Banihashemi SH, Faghihi G, Shahmoradi Z, Tajmirrahi N, Jazi SB. A comparison of betamethasone valerate 0.1\% cream twice daily plus oral simvastatin versus betamethasone valerate 0.1\% cream alone in the treatment of vitiligo patients. *Adv Biomed Res*. 2017;6(1):34.
63. Iraj F, Haftbaradaran E, Davashi S, Zolfaghari-Baghbaderani A, Bokaii-Jazi S. Comparing the improvement of unstable vitiligo in patients treated by topical PUVA-therapy alone, topical PUVA-therapy and oral vitamin D, and topical PUVA-therapy and oral vitamin D and vitamin B12. 2017;
64. Faghihi G, Elahipour A, Iraj F, Behfar S, Abtahi-Naeini B, Mokhtari F. Corrigendum to “Topical Colchicine Gel versus Diclofenac Sodium Gel for the Treatment of Actinic Keratoses: A Randomized, Double-Blind Study.” *Adv Med*. 2017;2017:7192180.
65. Faghihi G, Poostiyan N, Asilian A, Abtahi-Naeini B, Shahbazi M, Iraj F, et al. Efficacy of fractionated microneedle radiofrequency with and without adding subcision for the treatment of atrophic facial acne scars: a randomized split-face clinical study. *J Cosmet Dermatol*. 2017;16(2):223–9.
66. Khayamnia M, Yazdchi M, Foroughipour M. The Recognition of Migraine Headache by Designing Fuzzy Expert System and Using Learning from Examples (LFE) Algorithm. *J Isfahan Med Sch*. 2017;34(416):1680–5.
67. Faghihi G, Elahipour A, Iraj F, Behfar S, Abtahi-Naeini B. Clinical Study Topical Colchicine Gel

versus Diclofenac Sodium Gel for the Treatment of Actinic Keratoses: A Randomized, Double-Blind Study. 2016;

68. Iraj F, Tajmirriahi N, Momeni I, Jamshidi K, Hashemzahi F, Siadat AH, et al. Do serum prolactin levels correlate with antibodies against desmoglein in pemphigus vulgaris? *Adv Biomed Res.* 2016;5(1):206.
69. Siadat AH, Iraj F, Bahrami R, Nilfroushzadeh MA, Asilian A, Shariat S, et al. The comparison between modified kligman formulation versus kligman formulation and intense pulsed light in the treatment of the post-burn hyperpigmentation. *Adv Biomed Res.* 2016;5(1):125.
70. Faghihi G, Elahipoor A, Iraj F, Behfar S, Abtahi-Naeini B. Topical colchicine gel versus diclofenac sodium gel for the treatment of actinic keratoses: a randomized, double-blind study. *Adv Med.* 2016;2016(1):5918393.
71. Iraj F, Pourazizi M, Abtahi-Naeini B, Meidani M, Rajabi P. Bacillary angiomatosis in immunocompetent patient with atypical manifestations. *Indian J Dermatol.* 2015;60(5):523.
72. Shahmoradi Z, Iraj F, Siadat AH, Ghorbaini A, Nilfroushzadeh MA. Comparison of topical 5\% nicotinamid and 2\% clindamycin gels in the treatment of the mild to moderate acne vulgaris: a double-blinded randomized clinical trial. *J Isfahan Med Sch.* 2015;32(316):2279–85.
73. Faghihi G, Iraj F, Abtahi-Naeini B, Saffar B, Saffaei A, Pourazizi M, et al. Complementary therapies for idiopathic hirsutism: Topical licorice as promising option. *Evidence-Based Complement Altern Med.* 2015;2015(1):659041.
74. Iraj F, Jamshidi K, Pourazizi M, Abtahi-Naeini B. Dyskeratosis congenita without oral involvement: a rare hereditary disease. *Oman Med J.* 2015;30(3):212.
75. Fariba I, Kioumars J, Mohsen P, Bahareh AN. Dyskeratosis congenita without oral involvement: a rare hereditary disease. 2015;
76. Iraj F, Tajmirriahi N, Nilfroushzadeh MA, Siadat AH, Momeni I. Efficacy of adding topical simvastatin to topical calcipotriol on improvement of cutaneous plaque psoriasis. *J Isfahan Med Sch.* 2015;32(318):2378–86.
77. Iraj F, Farhadi S, Faghihi G, Mokhtari F, Basiri A, Jafari-Koshki T, et al. Efficacy of topical azathioprine and betamethasone versus betamethasone-only emollient cream in 2-18 years old patients with moderate-to-severe atopic dermatitis: A randomized controlled trial. *Adv Biomed Res.* 2015;4.
78. Iraj F, Siadat AH, Nilfroushzadeh MA. Pityriasis rubra pilaris following exposure to dolomite. *J Isfahan Med Sch.* 2015;32(319):2421–4.
79. Iraj F, Abtahi-Naeini B, Heydari H, Pourazizi M. Pustular bacterid: look at the throat for prevention over treatment. *Int J Prev Med.* 2015;6(1):51.
80. Faghihi G, Iraj F, Abtahi-Naeini B, Saffar B, Saffaei A, Pourazizi M, et al. Research Article Complementary Therapies for Idiopathic Hirsutism: Topical Licorice as Promising Option. 2015;
81. Siadat AH, Iraj F, Khodadadi M, Kalateh-Jary M, Nilfroushzadeh MA. Topical nicotinamide in combination with calcipotriol for the treatment of mild to moderate psoriasis: A double-blinded, randomized, comparative study. *J Isfahan Med Sch.* 2015;32(314):2202–9.

82. FAGHIHI G, IRAJI F, ABTAHI NB, SAFFAR B, SAFFAEI ALI, POURAZIZI M, et al. TREATMENT OF IDIOPATHIC HIRSUTISM WITH 755-NM ALEXANDRITE LASER PLUS TOPICAL LICORICE: A DOUBLE BLIND RANDOMIZED CONTROLLED TRIAL. 2015;
83. Iraj F, Asililan A, Fadaei F, Nilforoushzadeh MA. Comparing kojic acid cream 2\% with glycolic acid 10\% and hydroquinone cream 2\% in treatment of melasma. J Isfahan Med Sch. 2014;31(269):2295–330.
84. Iraj F, Hosseini SM, Siadat AH, Nilforoushzadeh MA, Mashhadi Z. Comparing the efficiency of combination of minoxidil solution and tacrolimus cream with minoxidil solution alone in the treatment of alopecia areata. J Isfahan Med Sch. 2014;31(269):2315–25.
85. Iraj F, Tajmirriahi N, Siadat AH, Momeni I, Nilforoushzadeh MA. Efficacy of adding topical simvastatin to topical calcipotriol on improvement of cutaneous plaque psoriasis. Adv Biomed Res. 2014;3(1):11.
86. Siadat AH, Zeinali N, Iraj F, Abtahi-Naeini B, Nilforoushzadeh MA, Jamshidi K, et al. Narrow-band ultraviolet B versus oral minocycline in treatment of unstable vitiligo: a prospective comparative trial. Dermatol Res Pract. 2014;2014(1):240856.
87. Iraj F, Garekyaraghi M, Ahmadi Z, Ali M. Skin Reactions to Losartan and Enalapril. 2014;
88. Iraj F, Arbabi N, Asilian A, Siadat AH, Keshavarz J, Nilforoushzadeh MA. The Incidence of Nonmelanoma Skin Cancers in the Isfahan Province of Iran. J Ski Stem Cell. 2014;1(2):23310.
89. Faghihi G, Iraj F, others. Comparison of the efficacy of topical minoxidil 5\% and adenosine 0.75\% solutions on male androgenetic alopecia and measuring the patients' satisfactory rate. Acta Dermatovenereologica Croat. 2013;21(3):155.
90. Iraj F, Asilian A, Saeidi A, Siadat AH, Saeidi AR, Hassanzadeh A. Comparison of therapeutic effect of low-dose low-molecular-weight heparin (enoxaparin) vs. oral prednisone in treatment of patients with lichen planus; A clinical trial. Adv Biomed Res. 2013;2(1):76.
91. Shahmoradi Z, Iraj F, Siadat AH, Ghorbaini A. Comparison of topical 5\% nicotinamid gel versus 2\% clindamycin gel in the treatment of the mild-moderate acne vulgaris: A double-blinded randomized clinical trial. J Res Med Sci Off J Isfahan Univ Med Sci. 2013;18(2):115.
92. Iraj F, Siadat AH. Pityriasis rubra pilaris following exposure to dolomite. J Res Med Sci Off J Isfahan Univ Med Sci. 2013;18(7):621.
93. Iraj F, Faghihi G, Siadat AH. The efficacy of acyclovir in treatment of the pemphigus vulgaris. J Res Med Sci Off J Isfahan Univ Med Sci. 2013;18(11):976.
94. Siadat AH, Iraj F, Khodadadi M, Jary MK. Topical nicotinamide in combination with calcipotriol for the treatment of mild to moderate psoriasis: a double-blind, randomized, comparative study. Adv Biomed Res. 2013;2(1):90.
95. Iraj F, Tagmirriahi N, Gavidnia K. Comparison between the efficacy of 10\% zinc sulfate solution with 4\% hydroquinone cream on improvement of melasma. Adv Biomed Res. 2012;1(1):39.
96. Iraj F, Garekyaraghi M, Ahmadi Z, Nilforoushzadeh MA, Faghihi G. Skin reaction with losartan and enalapril drugs in patients in 2008. J Isfahan Med Sch. 2012;29(172).
97. Iraj F, Garekyaraghi M, Ahmadi Z, Nilforoushzadeh MA, Faghihi G. Skin Reactions with Losartan

and Enalapril in Cardiac Patients. J Isfahan Med Sch. 2012;29(173):3040–5.

98. Iraj F, Karbasioun S, Aminorroaya A. Use of Topical Finasteride in Hirsutism: A Double-blind, Randomized Clinical Trial on Women. J Isfahan Med Sch. 2012;29(173):3072–9.
99. Iraj F, Faghihi G, Asilian A, Siadat AH, Larijani FT, Akbari M. Comparison of the narrow band UVB versus systemic corticosteroids in the treatment of lichen planus: A randomized clinical trial. J Res Med Sci Off J Isfahan Univ Med Sci. 2011;16(12):1578.
100. Iraj F, Faghihi G, Siadat AH, Enshaieh S, Shahmoradi Z, Joia A, et al. Efficacy of 15\% azelaic acid in psoriasis vulgaris: a randomized, controlled clinical trial. J Drugs Dermatology JDD. 2010;9(8):964–8.
101. Iraj F, Asilian A, Siadat AH. Pimecrolimus 1\% cream in the treatment of cutaneous lesions of pemphigus vulgaris: a double-blind, placebo-controlled clinical trial. J drugs dermatology JDD. 2010;9(6):684–6.
102. Iraj F, Banan L. The efficacy of nicotinamide gel 4\% as an adjuvant therapy in the treatment of cutaneous erosions of pemphigus vulgaris. Dermatol Ther. 2010;23(3):308–11.
103. Asilian A, Siadat AH, Iraj F, Enshaieh S. Treatment of acute cutaneous leishmaniasis with intralesional emetine using a new injection technique. J Ski Leishmaniasis. 2010;1(1).
104. Iraj F, Mehrpour K, Asilian A, Siadat AH, Mohaghegh F. A COMPARATIVE STUDY TO EVALUATE THE EFFICACY OF" 4\% N-ACETYL GLUCOSAMINE+ 2\% NICOTINAMIDE" CREAM VERSUS 4\% HYDROQUINONE CREAM IN THE TREATMENT OF FACIAL MELASMA: A RANDOMIZED, DOUBLE-BLIND, SPLIT-FACE CLINICAL TRIAL. J Cell Tissue Res. 2009;9(1):1767.
105. Iraj F, Fard MK, Asilian A, Siadat AH. PIMECROLIMUS 1\% CREAM IN THE TREATMENT OF ORAL LESIONS OF PEMPHIGUS VULGARIS: A DOUBLE-BLIND, PLACEBO-CONTROLLED CLINICAL TRIAL. J Cell Tissue Res. 2008;8(3):1641.
106. Faghihi G, Iraj F, Shahingohar A, Saidat AH. The efficacy of '0.05\% clobetasol+ 2.5\% zinc sulphate' cream vs. '0.05\% clobetasol alone' cream in the treatment of the chronic hand eczema: a double-blind study. J Eur Acad Dermatology Venereol. 2008;22(5):531–6.
107. Enshaieh S, Jooya A, Iraj F, Asilian A, Mazloomi R, Mousavi SA, et al. THE EFFICACY OF TOPICAL CREAM COMPOSED OF VITAMINS K, C, E AND COQ10 IN THE TREATMENT OF INFRAORBITAL MELANOSIS AND WRINKLING: AN OPEN LABEL, SELF-CONTROLLED STUDY. J Cell Tissue Res. 2008;8(3):1645.
108. Iraj F, Siadat AH, Asilian A, Enshaieh S, Shahmoradi Z. The safety of diclofenac for the management and treatment of actinic keratoses. Expert Opin Drug Saf. 2008;7(2):167–72.
109. Iraj F, Asilian A, Siadat AH, Rajabi P, Arbabi A. Unilateral mycosis fungoides. Dermatol Online J. 2008;14(6).
110. SIADAT AA, ADIBI NA, NilfroushZadeh MA, Rajabi P, Darougheh A, ZOU ABA, et al. DERMATOLOGY CASE DIAGNOSIS (CASE REPORT). 2007;
111. Amir Hossein S, Neda A, Mohhammad Ali N, Parvin R, Afshin D, Azadeh Zolfaghari B, et al. Dermatology case diagnosis, Steatocystoma multiplex. 2007;
112. Sadeghian G, Nilfroushzadeh MA, Iraj F. Efficacy of local heat therapy by radiofrequency in the

- treatment of cutaneous leishmaniasis, compared with intralesional injection of meglumine antimoniate. *Clin Exp Dermatol*. 2007;32(4):371–4.
113. Iraj F, Sadeghinia A, Shahmoradi Z, Siadat AH, Jooya A. Efficacy of topical azelaic acid gel in the treatment of mild-moderate acne vulgaris. *Indian J Dermatol Venereol Leprol*. 2007;73:94.
 114. Vali A, Rokhforooz M, Iraj F, Shahtalebi MA. Evaluation of the efficacy of *Salvia officinalis* lotion in treatment of palmoplantar hyperhidrosis. 2007;
 115. Iraj F, Arbabi N, Asilian A, Siadat AH, Keshavarz J, others. Incidence of non-melanoma skin cancers in Isfahan. 2007;
 116. Nader A, Fariba I, Ali A, Amir Hossein S, Jalal K. Incidence of non-melanoma skin cancers in Isfahan. 2007;
 117. Enshaieh S, Jooya A. The efficacy of 5% topical tea tree oil gel in mild to moderate acne vulgaris: a randomized, double-blind placebo-controlled study. 2007;
 118. Momeni AZ, Iraj F, Aminjavaheri M, Emami MR, Momeni A. The use of oral cyclophosphamide with dexamethasone pulse therapy in the treatment of pemphigus vulgaris. *J Dermatolog Treat*. 2007;18(5):275–8.
 119. Iraj F, Saghai M, Mokhtari H, Siadat A. Acupuncture in the treatment of chronic urticaria: a double blind study. *Internet J Dermatol*. 2006;3(2):1–5.
 120. Asilian A, Iraj F, Hedaiti HR, Siadat AH, Enshaieh S. Carbon dioxide laser for the treatment of lupoid cutaneous leishmaniasis (LCL): a case series of 24 patients. *Dermatol Online J*. 2006;12(2).
 121. Iraj F, Asilian A, Enshaieh S, Shamoradi Z, Faghihi G. Contact dermatitis in cement workers in Isfahan. *Indian J Dermatol*. 2006;51(1):30–2.
 122. Enshaieh SH, Darougheh A, Asilian A, Iraj F, Shahmoradi Z, Yoosephi A, et al. Disseminated subcutaneous nodules caused by *Pseudallescheria boydii* in an atopic patient. *Int J Dermatol*. 2006;45(3):289–91.
 123. Fariba I, Ali A, Hossein SA, Atefeh S, Behbahan SAA. Efficacy of 3% diclofenac gel for the treatment of actinic keratoses: a randomized, double-blind, placebo controlled study. *Indian J Dermatol Venereol Leprol*. 2006;72:346.
 124. Iraj F, Arbabi N, Asilian A, Siadat A, Keshavars J. Evaluation of incidence of Non-Melanoma skin cancers in Esfahan. *Internet J Dermatology*. 2006;5(1).
 125. Iraj F, Yoosefi A. Healing effect of Pilocarpine gel 4% on skin lesions of pemphigus vulgaris. *Int J Dermatol*. 2006;45(6):743–6.
 126. Iraj F, Arbabi N, Asilian A, Siadat AH, Keshavarz J. Incidence of non-melanoma skin cancers in Isfahan. *Iran J Dermatology*. 2006;9(4):134–331.
 127. Siadat AH, Iraj F, Shahmoradi Z, Enshaieh S, Taheri A. The efficacy of 1% metronidazole gel in facial seborrheic dermatitis: a double blind study. *Indian J Dermatol Venereol Leprol*. 2006;72:266.
 128. Iraj F, Momeni A, Naji SM, Siadat AH. The efficacy of topical cypoterone acetate alcohol lotion versus placebo in the treatment of the mild to moderate acne vulgaris: a double blind study.

Dermatol Online J. 2006;12(3).

129. Sadeghian G, Iraj F, Nilfroushzadeh MA. Disseminated cutaneous leishmaniasis on lymphedema following radiotherapy. *Int J Dermatol*. 2005;44(7):610–1.
130. Iraj F, Sadeghinia A. Efficacy of paromomycin ointment in the treatment of cutaneous leishmaniasis: results of a double-blind, randomized trial in Isfahan, Iran. *Ann Trop Med & Parasitol*. 2005;99(1):3–9.
131. Fariba I, Taghi G, Mazdak ES, Maryam T, Hossein SA, Shahla E, et al. The efficacy of 3\% diclofenac in 2.5\% hyaluronan gel base for treatment of recurrent aphthous stomatitis (RAS): A double blind study. *Egypt Dermatology Online J*. 2005;1(2):4.
132. Iraj F, Karbasioun S, AMIN AA. Topical finasteride in hirsutism: a double blind randomized clinical trial on adult women. 2005;
133. Iraj F, Vali A, Asilian A, Shahtalebi MA, Momeni AZ. Comparison of intralesionally injected zinc sulfate with meglumine antimoniate in the treatment of acute cutaneous leishmaniasis. *Dermatology*. 2004;209(1):46–9.
134. Sadeghian G, Iraj F, Nilforoosh Zadeh MA. Disseminated cutaneous Leishmaniasis on lymphedema following radiotherapy: A case report. *Iran J Dermatology*. 2004;8(suppl):31–4.
135. Giti S, Fariba I, Mohammad Ali N. Disseminated cutaneous leishmaniasis on lymphedema following radiotherapy: a case report. 2004;
136. Iraj F, Kiyani A, Rezazadeh M. TOPICAL SUCRALFATE VERSUS HYDROCORTISONE CREAM IN THE MANAGEMENT OF DIAPER DERMATITIS: A RANDOMIZED, DOUBLEBLIND CLINICAL TRIAL. *Indian J Dermatol*. 2004;49(4):181–3.
137. Iraj F, Schofield O. A comparative study of the predisposing factors and natural history of lichen sclerosus et atrophicus (LSA) in children and adults. *Indian J Dermatol*. 2003;48(1):36–8.
138. Enshaieh S, Siadat AH, Asilian A, Nilfroush-Zadeh MA, Iraj F, Khatami-Pour M, et al. A Comparison of an Herbal Drug and 2\% Minoxidil Solution in the Treatment of the Androgenetic Alopecia. *J Arak Univ Med Sci*. 2003;6(2):1–6.
139. Iraj F, Faghihi G, others. A RANDOMIZED DOUBLE-BLIND PLACEBOCONTROLLED CLINICAL TRIAL OF TWO STRENGTHS OF TOPICAL ZINC SULFATE SOLUTION AGAINST RECURRENT HERPES SIMPLEX. 2003;
140. Iraj F, Rezazadeh M. The efficacy of topical Sucralfate in comparison with Hydrocortisone cream in the treatment of Diaper dermatitis: A randomized, double blind clinical trial. *Iran J Dermatology*. 2003;6(3):8–12.
141. Asilian A, Omid Ghaemi MR, Momeni A, Iraj F. Effect of vitamin E and Acitretin combination on decreasing side effects of Acitretin. *Iran J Dermatology*. 2002;5(3):22–8.
142. Iraj F, Kiani A, Shahidi S, Vahabi R. Histopathology of skin lesions with warty appearance in renal allograft recipients. *Am J Dermatopathol*. 2002;24(4):324–5.
143. Iraj F, SHAMORADI Z. The effect of acid azelaic gel on acne. 2002;
144. Iraj F, Tavakoli R. Expense of treatment of cutaneous Leishmaniasis in Isfahan province in 1999.

- Iran J Dermatology. 2001;4(4):3–7.
145. Iraj F, Kiani A, Shahidi S, Vahabi R. Histopathologic evaluation of Verrucous skin lesions in renal transplant recipients. Iran J Dermatology. 2001;4(4):29–33.
146. Faghihi G, Iraj F. Incontinentia Pigmenti. 2001;
147. Iraj F, Rais Zadeh MR. Multiple puncture technique of Bleomycin therapy for recalcitrant warts. Feyz Med Sci J. 2001;4(4):99–104.
148. Asilian A, Tavakolikia R, Iraj F, Ghasemi M. Topical Estrogen in Wound Healing: A Double Blind Randomized Clinical Trial on Young Healthy People. 2001;
149. Iraj F, RAIESZADEH MR. TREATING INTRACTABLE WARTS WITH INTRALESIONAL INJECTION OF BLEOMYCINE BY TATTOOING METHOD. 2001;
150. Iraj F, Rais Zadeh M, others. تاثیر بلئومایسین با روش تاتوینگ بر زگیل های مقاوم به درمان. دانشگاه علوم پزشکی و خدمات بهداشتی درمانی کاشان | دو ماهنامه فیض. ۲۰۰۱; ۴: ۲–۴.
151. Iraj F, Saghaei M, Mokhtari H. Acupuncture in the treatment of chronic Urticaria. Iran J Dermatology. 2000;4(1):31–5.
152. Iraj F, Faghihi G. Clinical dermatology-Concise reports-Epidermodysplasia verruciformis: Association with isolated IgM deficiency and response to treatment with acitretin. Clin Exp Dermatol. 2000;25(1):41–3.
153. GHafarinejhad AR, Iraj F, Vali A, Asiliyan A, Shah-Talebi MA. Comparisso of intralesionally injected Zink sulfate and pentavalent Antimony compound in treatment of acute cutaneous leishmaniasis. J Kerman Univ Med Sci. 2000;7(2):161–6.
154. Iraj F, Vali A, SHAH TMA, ASILIYAN A. COMPARISSON OF INTRALESIONALLY INJECTED ZINC SULFATE AND PENTAVALENT ANTIMONY COMPOUND IN TREATMENT OFACUTE CUTANEOUS LEISHMANIASIS. 2000;
155. Iraj F, Asilian A, AMIN JMAS. CUTANEOUS CILIATED CYSTS: A CASE REPORT. 2000;
156. Meghdadi SM, Moslemi M, Iraj F. Dermatology in the intensive care unit. Iran J Dermatology. 2000;3(3):7–13.
157. Iraj, Faghihi. Epidermodysplasia verruciformis: association with isolated IgM deficiency and response to treatment with acitretin. Clin Exp Dermatol. 2000;25(1):41–3.
158. Iraj F, Azampour H, Fatemi F. Methoxsalen bath in the treatment of palmoplantar Eczema: A double-blind, placebo controlled clinical trial. Iran J Dermatology. 2000;3(4):2–6.
159. IRAJI F, others. STUDY ON SIGNS AND TREATMENT OF 118 CASES OF BULLOUS PEMPHIGOID IN HEALTH CENTERS IN ISFAHAN. 2000;
160. FATEMI F, IRAJI F. THE FREQUENCY OF NEONATAL SKIN LESIONS IN THE FIRST DAY OF LIFE. 2000;
161. Kiani A, Iraj F, Shariati F. Unusual manifestation of cutaneous Leishmaniasis in a renal transplant recipient. Iran J Dermatology. 2000;3(2):39–42.
162. Iraj F, FATEMI F. Congenital trichofolliculoma: a case report. Med J Islam Repub Iran. 1999;13(1):81.

163. Fariba I, Farahnaz F. Congenital trichofolliculoma: a case report [Brief Communications]. 1999;
164. Asilian A, Iraj F. Dermatomyositis associated with Pityriasis Rubra Pilaris: A case report. Iran J Dermatology. 1999;2(2):41-4.
165. Meghdadi SM, Iraj F, Adabi M. Hereditary sensory and autonomic neuropathy: A case report. Iran J Dermatology. 1999;3(1):58-62.
166. Iraj F, Enshaiehe S. Skin effects among 1000 females using pregnancy control pills at health clinics of Esfahan, 1993-94. Feyz Med Sci J. 1999;3(1):64-8.
167. انشاییه, ایرجی. عوارض پوستی در ۱۰۰۰ زن مصرف کننده قرص ضدبارداری در مراکز بهداشت اصفهان طی سال های ۷۳-۱۳۷۲. دانشگاه علوم پزشکی و خدمات بهداشتی درمانی کاشان | دو ماهنامه فیض. ۱۹۹۹; ۱: ۳-۲
168. Momeni A, Asilian A, Meghdadi M, Enshaiehe S, Shariati F, Nilforoush Zadeh MA, et al. Anticonvulsant hypersensitivity syndrome. Iran J Dermatology. 1998;2(1):21-6.
169. Siadat AH, Zeinali N, Iraj F, Abtahi-Naeini B, Nilforoushzadeh MA, Jamshidi K, et al. Clinical Study Narrow-Band Ultraviolet B versus Oral Minocycline in Treatment of Unstable Vitiligo: A Prospective Comparative Trial.
170. Shatalebi MA, Jazi SB, Yegdaneh A, Iraj F, Siadat AH, Noorshargh P. Comparative evaluation of Gracilaria algae 3\% cream versus Clobetasol 0.05\% cream in treatment of plaque type psoriasis; A Randomized, split-body, triple-blinded clinical trial.
171. Iraj F, Zolfaghari B, Mousavi A, Mousavi F. Efficacy of a Herbal Cream Formulation Incorporating Calendula officinalis, Glycyrrhiza glabra, Curcuma longa, and Fumaria parviflora Versus Topical Mometasone in the Management of Atopic Dermatitis. J Ski Stem Cell. 11(4).
172. Safaei H, Iraj F. ntions fo ized clini.
173. Iraj F, Seyedyousefi S, Heidari A. Serum Vitamins and Trace elements in Vitiligo Patients: A Systematic Review and Meta-analysis of Observational Studies Short title: vitiligo and serum levels of antioxidants.
174. فریبا ا, علی ا, فاطمه ف, محمدعلی نفز. بررسی مقایسه ای اثر کرم اسید کوجیک ۲٪ با کرم گلیکولیک اسید ۱۰٪ و هیدروکینون ۲٪ در درمان ملاسما.
175. فریبا ا, سیدمحسن ح, امیرحسین س, محمدعلی نفز, زهرا م. مقایسه اثربخشی استفاده توام از تاکرولیموس و Alopecia areata. مینوکسیدیل با مینوکسیدیل به تنهایی در درمان بیماران مبتلا به.

PRESENTATIONS AND POSTER SESSIONS

Bibliographic format

PATENTS

Date, Item, number

RESEARCH INTERESTS

Pediatric dermatology
Autoimmune disease

TEACHING INTERESTS

Skin disease

PROFESSIONAL MEMBERSHIPS

Skin Diseases and Leishmaniasis Research Center
Membership of dermatology board exams

EXTRA CURRICULAR ACTIVITIES
